




Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sans quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
SEE NOTE 1



mat'l code				NOTE 2		tolerances unless otherwise specified		CUSTOMER		FCI	
lir	ecr no.	dr	date	linear	angles	dr	enrg	chr	appd	projection	title
A	V02363	EKK	09/28/00	linear		C. DAILY	J. DODDS	J. DODDS	J. DODDS	projection	VERTICAL RECEPTACLE w/ GUIDE PIN
B	V10970	CGD	03/05/01			J. DODDS	J. DODDS	J. DODDS	J. DODDS	INCH/MM	0.300 [7.62] POWER SPECIAL
C	DG07-0089	RYAN	03/18/07			J. DODDS	J. DODDS	J. DODDS	J. DODDS	scale	product family
										1:1	PwrBlade
											size
											dwg no
											51816
											code
											213
											sheet
											1 of 3
sheet index	revision	C	C	C							
	sheet	1	2	3							

Pro/E

cage code 22526

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.

4


CONFIDENTIAL

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sans quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.


PRODUCT NUMBER
SEE NOTE 1



SECTION B-B



SECTION C-C



RECOMMENDED PCB LAYOUT

CODE	DIM "M" ±0.010 [±0.25]	TAIL TYPE	CONTACT TYPE
PA	0.042 [1.07]	SOLDER	POWER USED IN 51816-ABB00000EF__ 51816-XXX__
PC	0.042 [1.07]	PRESS-FIT	
PD	0.092 [2.34]	SOLDER	POWER USED IN 51816-XXX__
PF	0.092 [2.34]	PRESS-FIT	
HA	N/A	N/A	N/A
X	OMITTED	OMITTED	OMITTED

mat'l code				NOTE 2		tolerances unless otherwise specified		CUSTOMER		FCI	
lir	ecr no.	dr	date	linear	linear	linear	linear	projection	projection	title	www.fciconnect.com
C					.XX±.01/0.X±0.3	.XXX±.005/0.XX±0.13	XXXX±.0020/.XXX±.05	0°±2°	0°±2°	VERTICAL RECEPTACLE w/ GUIDE PIN 0.300 [7.62] POWER SPECIAL	
				dr	C. DAILY	03/05/01		INCH/MM	INCH/MM	product family	PwrBlade
				enrg	J. DODDS	03/05/01		scale	scale	size	dwg no
				chr	J. DODDS	03/05/01		1:1	1:1	A	51816
				appd	J. DODDS	03/05/01					
sheet index	revision	sheet									

Pro/E

cage code 22526