

2014




Professional Screwdrivers & Nut Drivers




Screwdrivers & Nut Drivers




Wiha SoftFinish® CushionGrip Screwdrivers

Description	Page
 SoftFinish® Slotted/Phillips Drivers	4-8
Torx®/TR Torx® Screwdrivers	10-11
Stubby Slotted/Phillips Drivers	6-7
SoftFinish® TorxPlus® Drivers	11
SoftFinish® Pozidriv® Drivers	6
SoftFinish® Square Drivers	6
SoftFinish® MagicSpring Drivers	9
SoftFinish® MagicRing Drivers	12-13
Measuring Scale Screwdrivers	8


Wiha Screw Holding Screwdrivers

Description	Page
 Screw Holding Screwdrivers	9


Wiha Stainless Steel Cushion Grip Drivers

Description	Page
 Slotted Drivers	14
Phillips Drivers	14
Torx Drivers	14
Pozidriv Drivers	14


Wiha ACR® Screwdrivers

Description	Page
 ACR® Slotted/Phillips Drivers	15


Wiha 3K Series Screwdrivers

Description	Page
 3K Series Slotted/Phillips	16-17
3K Series Torx Drivers	17-18
3K Series Pozidriv® Drivers	17
3K Series Bit Holders	16
3K Series Hex Inch & Metric	18-19


Wiha Drive-Loc VI Tools

Description	Page
 Drive-Loc VI Handles	20
Drive-Loc VI Blades	20-21


Wiha Drive-Loc VI Sets

Description	Page
 Drive-Loc VI Blade Sets	22


Wiha Topra Ratchet Blade Set

Description	Page
 Topra Ratchet Blade Set	22


Wiha MicroFinish Non-Slip Grip Drivers

Description	Page
 MicroFinish Slotted Drivers	23-24
MicroFinish Phillips Drivers	23-24
MicroFinish Torx Drivers	25
MicroFinish Bit Holder	24


Wiha Powerhandle Screwdrivers

Description	Page
 Powerhandle Torx® Drivers	25


Wiha Protorn Screwdrivers

Description	Page
 Protorn Torx® Drivers	26


Wiha Dynamic Screwdrivers

Description	Page
 Dynamic Slotted/Phillips Drivers	27

Wiha Square Handle Screwdrivers

Description	Page
 Slotted & Phillips Drivers	28

Wiha Offset Screwdrivers

Description	Page
 Slotted & Phillips Offset Drivers	28
TORX Offset Screwdrivers	28

Wiha Magnetizer/Demagnetizer




Description	Page
Magnetizer/Demagnetizer	27

Wiha Precision Screwdrivers



Description	Page
Precision Slotted Drivers	29-30
Precision Phillips Drivers	30
Precision Pozidriv® Drivers	31
Precision Hex Drivers	31
Precision Ball End Drivers	32
Precision Torx® Drivers	33
Precision Pentalobe Drivers	33
Precision Chip Lifters	29
Precision Screwdriver Sets	32-33



Wiha Precision PicoFinish Drivers



Description	Page
PicoFinish Screwdrivers	34-36
Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter	

Wiha Protturn Precision Screwdrivers



Description	Page
Protturn Precision Screwdrivers	37
Slotted & Phillips	
Protturn Precision Blade Sets	37

Wiha ESD Safe Precision Handles/Blades



Description	Page
SYSTEM 4 Handles/Blades	38-39
SYSTEM 4 Sets	40-41

Wiha ESD Safe Precision Handle & Blades



Description	Page
SYSTEM 4 Drive-Loc Handle & Blades	39
SYSTEM 4 Drive-Loc Set	39


Wiha Nut Drivers



Description	Page
SoftFinish® Nut Drivers	42-43



Hollow Shaft Nut Drivers	44
--------------------------	----



T-handle Nut Drivers	45
----------------------	----



Drive-Loc VI Blades	46
---------------------	----



Precision Nut Drivers	47
-----------------------	----



PicoFinish® Nut Drivers	48
-------------------------	----



SYS 4 Nut Driver Blades/Sets	48-49
------------------------------	-------

Wiha Insulated Screwdrivers



- Insulated Slotted
- Insulated Phillips
- Insulated Terminal Block Xeno
- Insulated Square Drivers
- Insulated Hex Metric Drivers
- Insulated Torx® Drivers
- Insulated Nut Drivers
- Insulated Torque Drivers
- Insulated *SlimLine* Drivers

Catalog 99919.wo

Wiha ESD Safe Screwdrivers

ESD Safe SoftFinish® Drivers
Slotted/Phillips/Torx

ESD Safe Precision Drivers
Slotted/Phillips/Torx®/
TorxPlus®/Hex/Nut Drivers/
Chip Lifter

ESD Safe Ceramic Drivers

ESD Safe SYSTEM 4
Handles/Blades/Sets

ESD Safe Drive-Loc VI
Handles/Blades/Sets



Catalog 99945.wo

Wiha SoftFinish® Handle - Ergonomic Cushion Grip

The Wiha SoftFinish® Handle: Featuring advanced technology dual material molding. A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque and user comfort.

Wiha exclusive "SoftFinish® Zone" features solid molded core with soft outer cushion grip. Requires less force, yet achieves 40% more torque than conventional handles

All blades are made of Wiha's exclusive formula chrome-vanadium-molybdenum tool steel, super hardened & hard chrome finish for unmatched durability

Wiha tips are precision machined to exact tolerances for a perfect fit every time

Handle is molded directly onto the blade for a permanent bond. Large optimized handle diameter allows higher torque with less user hand fatigue



Wiha SoftFinish® Extra Heavy Duty



530 Slotted Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53010*	3.5	.139	75	3.0	0.6	.024	186	7.3	.16	10
53015*	4.5	.177	90	3.5	0.8	.031	201	7.9	.17	10
53020	5.5	.196	100	3.9	1.0	.039	213	8.4	.23	10
53025	6.5	.255	125	5.0	1.2	.047	238	9.4	.33	10
53027	8.0	.315	150	5.9	1.2	.047	268	10.6	.56	10
53035	10.0	.393	175	7.0	1.6	.063	293	11.6	.58	10
53040	12.0	.472	200	8.0	2.0	.079	318	12.5	.76	10

*No Hex Bolster



531 Phillips Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53110	1	80	3.1	5.0	13/64	186	7.3	.20	10
53115	2	100	3.9	6.0	1/4	213	8.4	.32	10
53120	3	150	5.9	8.0	5/16	268	10.6	.56	10



53090 5 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.	mm	mm	Size	mm	lbs.		
53090	53020	5.5	100	53110	1	80	1.85
	53025	6.5	125	53115	2	100	
	53027	8.0	150				



53097 7 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.	mm	mm	Size	mm	lbs.		
53097	53020	5.5	100	53110	1	80	3.15
	53025	6.5	125	53115	2	100	
	53027	8.0	150	53120	3	150	
	53035	10.0	175				

Wiha SoftFinish® Extra Heavy Duty



[SHOP](#)

53096 6 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted mm	Slotted mm	Phillips Size	Phillips mm	Weight lbs.
53096	53010	3.5 75	53110	1 80	1.69
	53015	4.5 90	53115	2 100	
	53020	5.5 100			
	53025	6.5 125			



[SHOP](#)

53099 10 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted mm	Slotted mm	Phillips Size	Phillips mm	Weight lbs.
53099	53010	3.5 75	53110	1 80	4.20
	53015	4.5 90	53115	2 100	
	53020	5.5 100	53120	3 150	
	53025	6.5 125			
	53027	8.0 150			
	53035	10.0 175			
	53040	12.0 200			



[SHOP](#)

53075 5 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted mm	Slotted mm	Phillips Size	Phillips mm	Weight lbs.
53075	53015	4.5 90	53110	1 80	1.53
	53020	5.5 100	53115	2 100	
	53025	6.5 125			

Wiha SoftFinish® Heavy Duty Screwdriver



[SHOP](#)

308 Slotted Screwdriver, Wiha-SoftFinish® Cushion Grip Handle

Hex blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Hex bolster for additional torque (No Bolster 30813 & 30814)

Item No.	Slotted mm	Slotted Inch	Hex mm	Hex Inch	Hex mm	Hex Inch	Weight lbs.	Pkg.
30813	3.5	.137	75	2.9	0.6	.023	186	7.3 .16 10
30814	4.5	.177	90	3.5	0.8	.032	201	7.9 .17 10
30815	5.5	.216	100	3.9	1.0	.039	213	8.4 .19 10
30816	6.5	.256	100	3.9	1.2	.047	213	8.4 .22 10
30817	6.5	.256	125	5.0	1.2	.047	238	9.4 .23 10
30820	7.0	.275	125	5.0	1.1	.043	238	9.4 .23 10
30825	8.0	.315	150	5.9	1.2	.047	271	10.7 .37 10
30830	10.0	.393	175	7.0	1.6	.063	296	11.7 .40 10
30835	12.0	.472	200	8.0	2.0	.079	321	12.6 .58 10



[SHOP](#)

312 Phillips Screwdriver, Wiha-SoftFinish® Cushion Grip Handle

Hex blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Hex bolster for additional torque.

Item No.	Phillips Size	Hex mm	Hex Inch	Hex mm	Hex Inch	Weight lbs.	Pkg.
31201	1	80	3.1	5.0	3/16	186	7.3 .13 10
31202	2	100	3.9	6.0	7/32	213	8.4 .21 10
31203	3	150	5.9	8.0	5/16	271	10.7 .37 10



[SHOP](#)

30892 5 Piece Slotted & Phillips Set

Item No.	Slotted	Weight lbs.
30892	Slotted: 5.5, 7.0, 8.0mm Phillips: #1, 2	1.33

30896 6 Piece Slotted & Phillips Set

Item No.	Slotted	Weight lbs.
30896	Slotted: 3.5, 4.5, 5.5, 7.0mm Phillips: #1, 2	1.34



[SHOP](#)

30898 8 Piece Slotted & Phillips Set

Item No.	Slotted	Weight lbs.
30898	Slotted: 5.5, 6.5, 7.0, 8.0, 10.0mm Phillips: #1, 2, 3	2.52

Wiha SoftFinish® Handle - Stubby Sets



[SHOP](#)

31190 2 Piece Slotted & Phillips Stubby Screwdriver Set

Item No.	Slotted mm	Phillips mm	Item No.	Slotted mm	Phillips mm	lbs. .24
31190	30239	4.0 25	31135	1	25	



[SHOP](#)

31191 2 Piece Slotted & Phillips Stubby Screwdriver Set

Item No.	Slotted mm	Phillips mm	Item No.	Slotted mm	Phillips mm	lbs. .24
31191	30265	6.5 25	31140	2	25	



[SHOP](#)

31192 2 Piece Phillips Stubby Screwdriver Set

Item No.	Phillips Size mm	Item No.	Phillips Size mm	lbs. .24
31192	31135 1 25	31140	2 25	



[SHOP](#)

31193 2 Piece Slotted Stubby Screwdriver Set

Item No.	Slotted mm	Phillips mm	Item No.	Slotted mm	Phillips mm	lbs. .24
31193	30239	4.0 25	30265	6.5	25	




[SHOP](#)

30294 6 Piece Slotted & Phillips Screwdriver Set

Item No.	Slotted mm	Phillips mm	Item No.	Slotted mm	Phillips mm	lbs.
30294	30215	4.0 100	31110	1	80	1.29
	30225	6.5 150	31115	2	100	
	30227	8.0 150				
	*30239	4.0 25				

Wiha SoftFinish® Handle - Standard Series



Inch & Metric scale on #2 Phillips

Perfect for measuring small parts on the go

[SHOP](#)

30295 5 Piece Slotted & Phillips Screwdriver Set

Item No.	Slotted mm	Phillips mm	Item No.	Slotted mm	Phillips mm	lbs.
30295	30205	3.0 100	31110	1	80	1.02
	30215	4.0 100	31137	2	100	
	30225	6.5 150				



[SHOP](#)

30298 8 Piece Slotted & Phillips Screwdriver Set

Item No.	Slotted mm	Phillips mm	Item No.	Slotted mm	Phillips mm	lbs.
30298	30205	3.0 100	31110	1	80	1.87
	30215	4.0 100	31115	2	100	
	30220	5.5 125	31120	3	150	
	30225	6.5 150				
	30230	8.0 175				



[SHOP](#)

30297 12 Piece Slotted & Phillips Screwdriver Set

Item No.	Slotted mm	Phillips mm	Item No.	Slotted mm	Phillips mm	lbs.
30297	30205	3.0 100	31105	0	60	2.48
	30215	4.0 100	31110	1	80	
	30220	5.5 125	*31140	2	25	
	30225	6.5 150	31115	2	100	
	*30265	6.5 25	31120	3	150	
	30230	8.0 175				
	30235	10 200				

*Stubby screwdriver with Wiha SoftFinish® handle

*Stubby screwdriver with Wiha SoftFinish® handle

Wiha SoftFinish® Handle - Standard Series



SHOP

30291	6 Piece Slotted, Phillips & Square Cushion Grip Drivers	
Item	Slotted: 4.5, 6.5mm	lbs. 1.00
No.	Phillips: 1, 2	
30291	Square: 1, 2	


SHOP

30290	10 Piece Slotted, Phillips & Square Cushion Grip Drivers	
Item	Slotted: 3.0, 3.5, 4.5, 6.5mm	lbs. 1.54
No.	Phillips: 0, 1, 2	
30290	Square: 1, 2, 3	



SHOP

30276 **7 Piece Slotted & Phillips Set** CVM steel, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No. 30276 Set Includes:					
Item No.	Tip Size	Blade	Tip Style	Tip Style Icon	lbs.
30816	1/4	4" Hex	Keystone		1.87
30825	5/16	6" Hex	Keystone		
30218	3/16"	3" Round	Cabinet		
30219	3/16"	6" Round	Cabinet		
30222	1/4"	4" Round	Cabinet		
31110	#1	3" Round	Phillips		
31115	#2	4" Round	Phillips		




SHOP

30299	20 Piece Slotted, Phillips, TORX®, Square & Pozidriv® Set	
Item	Slotted: 3.0, 4.0, 5.5, 6.5, 8.0mm	lbs.
No.	Phillips: 0, 1, 2	3.27
30299	TORX® : T6, T8, T10, T15, T20, T25, T30	
	Square: 1, 2, 3	
	Pozidriv®: 1, 2	

Wiha SoftFinish® CushionGrip Drivers

With Inch & MM Scale on Blades




Inch and Metric

- Perfect for measuring small parts on the go
- Quickly check drilled hole depths & diameters
- Patented design with permanent laser marking
- Chrome-vanadium-molybdenum tool steel shafts
- Hardened & tempered for long life performance
- Hard chrome surfaces for incredible wear resistance
- Precision machined exact fit tips


SHOP

302 **Measuring Scale Slotted Screwdriver, With Wiha-SoftFinish® Cushion Grip Handle** Inch & Metric scales

Item	Slotted	Phillips	Square	Tip Style Icon	No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30237						5.5	7/32	125	5.0	1.0	.039	236	9.3	.16	10


SHOP

311 **Measuring Scale Phillips Screwdriver, With Wiha-SoftFinish® Cushion Grip Handle** Inch & Metric scales

Item	Phillips	Square	Tip Style Icon	No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31137					2	100	3.9	6.0	1/4	218	8.6	.21	10

SHOP

31194 **2 Pc Slotted & Phillips Measuring Scale Screwdriver Set**








Item	Slotted	Phillips	Tip Style Icon	No.	mm	mm	Size	mm	lbs.		
31194					30237	5.5	125	31137	2	100	.37

Wiha SoftFinish® Slotted Spanner Nut Drivers

NEW **SHOP**

305 **Slotted Spanner Nut Drivers, With Wiha-SoftFinish® Handle**

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	Tip Style Icon	No.	Size	mm	Inch	mm	mm	mm	Inch	pkg.
30517			M1.7	80	3.1	0.5	4.0	184	7.2	1
30520			M2	80	3.5	1.0	4.5	184	7.2	1
30523			M2.3	90	3.5	1.0	5.0	201	7.9	1
30526			M2.6	100	3.9	1.2	5.5	201	7.9	1
30530			M3	100	3.9	1.2	6.0	211	8.3	1
30535			M3.5	100	3.9	1.4	7.0	218	8.6	1
30540			M4	100	3.9	1.4	8.0	218	8.6	1
30550			M5	125	4.9	2.0	10.0	243	9.6	1
30560			M6	125	4.9	2.5	11.0	243	9.6	1
30580			M8	150	5.9	3.0	14.0	274	10.8	1

Wiha Screw Holding Screwdrivers



398 Slotted Screw Holding Screwdriver, With Wiha-SoftFinish®

Handle Blade CVM steel, hardened, black finish. Clamping sleeve polyamide. Wiha-SoftFinish® handle cushion grip, impact resistant.

Item No.	↓	↓	⇄	⇄	⇄	⇄	⇄	⇄	⇄
	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
39825	2.5	.10	75	3.0	160	6.3	.09	10	
39830	3.0	.12	100	3.9	195	7.6	.19	10	
39840	4.0	.16	125	5.0	230	9.0	.27	10	
39850	5.0	.20	150	5.9	265	10.4	.27	10	
39860	6.0	.24	175	6.9	290	11.4	.32	10	



397 Phillips Screw Holding Screwdriver, With Wiha-SoftFinish®

Handle Blade CVM steel, hardened, black finish. Clamping sleeve polyamide. Wiha-SoftFinish® handle cushion grip, impact resistant.

Item No.	+	⇄	⇄	⇄	⇄	⇄	⇄	⇄	⇄
	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
39700	0	100	3.9	195	7.6	.13	10		
39701	1	125	5.0	230	9.0	.27	10		
39702	2	175	7.0	290	11.4	.32	10		



39892 5 Piece Screw Holding Slotted & Phillips Screwdriver Set

Item No.		⇄
39892	Slotted: 2.5x75mm, 3.0x100mm, 4.0x125mm	lbs.
	Phillips: 0x100mm, 1x125mm	1.35



39896 8 Piece Screw Holding Slotted & Phillips Screwdriver Set

Item No.		⇄
39896	Slotted: 2.5x75mm, 3.0x100mm, 4.0x125mm, 5.0x150mm, 6.0x175mm	lbs. 1.80
	Phillips: 0x100mm, 1x125mm, 2x175mm	

Wiha Screw Holding TORX® Tools

- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws*

Laser Welded MagicSpring Assembly

Stainless Rotary Spring

Screw Holding TORX®

SHOP



362 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	+	⇄	⇄	⇄	⇄	⇄	⇄	⇄	⇄
	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36202	T6	60	2.4	3.5	.139	164	6.5	.07	10
36203	T7	60	2.4	3.5	.139	164	6.5	.07	10
36207	T8	60	2.4	3.5	.139	164	6.5	.07	10
36234	T9	60	2.4	4.0	.157	171	6.7	.11	10
36244	T10	80	3.1	4.0	.157	191	7.5	.11	10
36249	T15	80	3.1	4.0	.157	191	7.5	.11	10
36254	T20	100	3.9	4.0	.157	211	8.3	.16	10
36256	T25	100	3.9	4.5	.177	211	8.3	.17	10
36257	T27	115	4.5	5.5	.216	233	9.2	.20	10
36258	T30	115	4.5	6.0	.236	233	9.2	.21	10



36290 Set 6 Pcs. MagicSpring Screw Holding TORX® SoftFinish Screwdrivers

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

Item No.	+	⇄	+	⇄	⇄
	Size	mm	Size	mm	lbs.
36290	36207	T8 60	36254	T20 100	.98
	36244	T10 80	36256	T25 100	
	36249	T15 80	36258	T30 115	











*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications

Wiha TORX® SoftFinish® Screwdrivers



362 TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.






Item										
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
36264	T5	60	2.4	2.5	.098	164	6.5	.05	10	
36266	T6	60	2.4	3.5	.139	164	6.5	.06	10	
36268	T7	60	2.4	3.5	.139	164	6.5	.06	10	
36270	T8	60	2.4	3.5	.139	164	6.5	.06	10	
36272	T9	60	2.4	4.0	.157	171	6.7	.10	10	
36274	T10	80	3.1	4.0	.157	191	7.5	.11	10	
36276	T15	80	3.1	4.0	.157	191	7.5	.11	10	
36278	T20	100	3.9	4.0	.157	211	8.3	.11	10	
36280	T25	100	3.9	4.5	.177	211	8.3	.12	10	
36282	T27	115	4.5	5.5	.216	233	9.2	.19	10	
36284	T30	115	4.5	6.0	.236	233	9.2	.20	10	
36286	T40	130	5.1	7.0	.275	254	10.0	.27	10	
36288	T45	130	5.1	8.0	.315	254	10.0	.31	10	

Wiha TORX® SoftFinish® Screwdrivers








36291 6 Piece TORX® SoftFinish® - Cushion Grip Set

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component.






Item							
No.	Size	mm	mm	mm	lbs.		
36291	36266	T6	60	36272	T9	60	.77
	36268	T7	60	36274	T10	80	
	36270	T8	60	36276	T15	80	

36201 Set 6 Pcs. TORX®

Item							
No.	Size	mm	mm	mm	lbs.		
36201	36266	T6	60	36276	T15	80	.83
	36270	T8	60	36278	T20	100	
	36274	T10	80	36280	T25	100	








36294 8 Piece TORX® Set

Item							
No.	Size	mm	mm	mm	lbs.		
36294	36266	T6	60	36278	T20	100	1.24
	36270	T8	60	36280	T25	100	
	36274	T10	80	36282	T27	115	
	36276	T15	80	36284	T30	115	



36267 12 Piece TORX® Set

Item							
No.	Size	mm	mm	mm	lbs.		
36267	36264	T5	60	36276	T15	80	2.03
	36266	T6	60	36278	T20	100	
	36268	T7	60	36280	T25	100	
	36270	T8	60	36282	T27	115	
	36272	T9	60	36284	T30	115	
	36274	T10	80	36286	T40	130	

Wiha Security TORX® Drivers



SHOP

362 Security TORX® Screwdriver With Wiha-SoftFinish®

Handle Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36269	T7s	60	2.4	3.5	.139	164	6.5	.06	10
36271	T8s	60	2.4	3.5	.139	164	6.5	.06	10
36273	T9s	60	2.4	4.0	.157	171	6.7	.10	10
36275	T10s	80	3.1	4.0	.157	191	7.5	.11	10
36277	T15s	80	3.1	4.0	.157	191	7.5	.11	10
36279	T20s	100	3.9	4.0	.157	211	8.3	.11	10
36281	T25s	100	3.9	4.5	.177	211	8.3	.11	10
36283	T27s	115	4.5	5.5	.216	233	9.2	.19	10
36285	T30s	115	4.5	6.0	.236	233	9.2	.20	10
36287	T40s	130	5.1	7.0	.275	254	10.0	.28	10



SHOP

36298 Set 7 Pcs. Security TORX®

Item No.	Size	mm	Size	mm	lbs.
36298	36269 T7s	60	36277 T15s	80	.95
	36271 T8s	60	36279 T20s	100	
	36273 T9s	60	36281 T25s	100	
	36275 T10s	80			



SHOP

36259 Set 10 Pcs. Security TORX®

Item No.	Size	mm	Size	mm	lbs.
36259	36269 T7s	60	36279 T20s	100	1.5
	36271 T8s	60	36281 T25s	100	
	36273 T9s	60	36283 T27s	115	
	36275 T10s	80	36285 T30s	115	
	36277 T15s	80	36287 T40s	130	

Wiha TORXPlus® Cushion Grip Drivers



SHOP

Not for use in standard Torx fasteners

362 TORXPlus® Screwdriver With Wiha SoftFinish® Handle

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36211	IP6	60	2.4	3.5	.139	164	6.5	.06	10
36223	IP7	60	2.4	3.5	.139	164	6.5	.06	10
36228	IP8	60	2.4	4.0	.157	171	6.7	.10	10
36229	IP9	60	2.4	4.0	.157	171	6.7	.11	10
36233	IP10	80	3.1	4.0	.157	191	7.5	.11	10
36238	IP15	80	3.1	4.0	.157	191	7.5	.11	10
36239	IP20	100	3.9	4.5	.177	211	8.3	.11	10
36243	IP25	100	3.9	5.5	.216	211	8.3	.19	10
36248	IP27	115	4.5	6.0	.236	233	9.2	.20	10
36253	IP30	115	4.5	7.0	.275	233	9.2	.28	10
36255	IP40	130	5.1	7.0	.275	254	10.0	.28	10



SHOP

36299 Set 7 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36299	36228 IP8	60	36243 IP25	100	1.23
	36233 IP10	80	36253 IP30	115	
	36238 IP15	80	36255 IP40	130	
	36239 IP20	100			



SHOP

36296 Set 6 Pcs. TORXPlus®

Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36296	36211 IP6	60	36229 IP9	60	.72
	36223 IP7	60	36233 IP10	80	
	36228 IP8	60	36238 IP15	80	

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools




Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!

367 MagicRing Ball End Hex-Driver Inch, With Wiha-SoftFinish®

Handle Hex blade, high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	Hex	Ball	Ring	Ring	Ring	Ring	Ring
No.	Inch	Inch	mm	mm	lbs.	pkg.	
36710*	.050	3.1	80	179	.06	10	
36713*	1/16	3.1	80	204	.06	10	
36716*	5/64	3.9	100	204	.07	10	
36719*	3/32	3.9	100	204	.07	10	
36723*	7/64	3.9	100	211	.07	10	
With MagicRing							
36726	1/8	3.9	100	243	.12	10	
36728	9/64	3.9	100	243	.12	10	
36732	5/32	5.0	125	271	.12	10	
36734	3/16	6.0	150	271	.16	10	
36736	7/32	6.0	150	271	.23	10	
36738	1/4	6.0	150	271	.25	10	
36742	5/16	8.0	200	271	.37	10	
36744	3/8	8.0	200	271	.54	10	

* Standard Ball - No Ring



36793 8 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	Hex	Ball	Ring	Ring	Ring	Ring	Ring
No.	Inch	Inch	Inch	Inch	lbs.		
36793	36726	1/8	4.0	36736	7/32	6.0	2.25
	36728	9/64	4.0	36738	1/4	6.0	
	36732	5/32	5.0	36742	5/16	8.0	
	36734	3/16	6.0	36744	3/8	8.0	




36791 13 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	Hex	Ball	Ring	Ring	Ring	Ring	Ring
No.	Inch	Inch	Inch	Inch	lbs.		
36791	36710*	.050	3.0	36732	5/32	5.0	2.58
	36713*	1/16	3.0	36734	3/16	6.0	
	36716*	5/64	4.0	36736	7/32	6.0	
	36719*	3/32	4.0	36738	1/4	6.0	
	36723*	7/64	4.0	36742	5/16	8.0	
	36726	1/8	4.0	36744	3/8	8.0	
	36728	9/64	4.0				

* Standard Ball - No Ring



36794 6 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	Hex	Ball	Ring	Ring	Ring	Ring	Ring
No.	Inch	Inch	Inch	Inch	lbs.		
36794	36726	1/8	4.0	36734	3/16	6.0	1.34
	36728	9/64	4.0	36736	7/32	6.0	
	36732	5/32	5.0	36738	1/4	6.0	

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Hard Chrome Finish

SHOP

**Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!**



SHOP

367 MagicRing Ball End Hex Driver Metric, With Wiha-SoftFinish®

Handle Hex blade, high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	lbs.	pkg.
36715*	1.5	75	179	.06	10
36720*	2.0	100	204	.07	10
36725*	2.5	100	204	.07	10
With MagicRing					
36730	3.0	100	204	.07	10
36740	4.0	125	211	.12	10
36750	5.0	150	243	.16	10
36760	6.0	150	243	.23	10
36780	8.0	200	268	.37	10
36786	10.0	200	271	.54	10

* Standard Ball - No Ring

Hardened spring steel retaining ring holds screws on

Hard chrome super durable corrosion resistant finish

Precision machined for exact fit

Made from Wiha exclusive CVM hardened tool steel

36790 9 Piece MagicRing Metric Ball End Hex Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	mm	lbs.
36790	36715*	1.5	75	36750	5.0 150
	36720*	2.0	100	36760	6.0 150
	36725*	2.5	100	36780	8.0 200
	36730	3.0	100	36786	10.0 200
	36740	4.0	125		

* Standard Ball - No Ring



SHOP

36792 6 Piece MagicRing Metric Ball End Hex Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	mm	lbs.
36792	36730	3.0	100	36760	6.0 150
	36740	4.0	125	36780	8.0 200
	36750	5.0	150	36786	10.0 200



Wiha Stainless Steel Screwdrivers

Stainless Steel

Controls corrosion & contamination of stainless fasteners

Precision machined exact fit tips

Heavy Duty hex blade of premium hardened stainless steel

Non rusting stainless steel blade

Guaranteed quality- Made by Wiha

SoftFinish multi-component, cushion grip handles



308 Stainless Steel Slotted Screwdriver, With Wiha SoftFinish®

Handle High quality, non-rusting stainless steel blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	+	+	+	+	+	+	+	+	+	+
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30836	3.5	.139	75	3.0	0.6	.024	179	7.0	.12	10
30845	4.5	.187	90	3.6	0.8	.031	201	7.9	.14	10
30855	5.5	.216	100	3.9	1.0	.039	213	8.4	.24	10
30865	6.5	.255	125	5.0	1.2	.047	238	9.4	.28	10



314 Stainless Steel Pozidriv® Screwdriver, With Wiha SoftFinish®

Handle High quality, non-rusting stainless steel blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	+	+	+	+	+	+	+	+	+	+
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
31401	1	80	3.1	5.0	.203	186	7.3	.14	10	
31402	2	100	3.9	6.0	.236	213	8.4	.22	10	
31403	3	150	5.9	8.0	.315	268	10.6	.28	10	



312 Stainless Steel Phillips Screwdriver, With Wiha

SoftFinish® Handle High quality, non-rusting stainless steel blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	+	+	+	+	+	+	+	+	+	+
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.			
31211	1	80	3.1	186	7.3	.14	10			
31212	2	100	3.9	213	8.4	.22	10			
31213	3	150	5.9	268	10.6	.28	10			



376 Stainless Steel TORX® Screwdriver, With Wiha SoftFinish®

Handle High quality, non-rusting stainless steel blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	+	+	+	+	+	+	+	+	+	+
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
37608	T8	60	2.4	4.0	.157	164	6.5	.09	10	
37609	T9	60	2.4	4.0	.157	171	6.7	.11	10	
37610	T10	80	3.1	4.0	.157	191	7.5	.11	10	
37615	T15	80	3.1	4.0	.157	191	7.5	.11	10	
37620	T20	100	3.9	4.0	.157	218	8.6	.16	10	
37625	T25	100	3.9	4.5	.177	218	8.6	.17	10	
37627	T27	115	4.5	5.5	.216	233	9.2	.20	10	
37630	T30	115	4.5	6.0	.236	233	9.2	.21	10	
37640	T40	130	5.1	7.0	.275	254	10.0	.24	10	



30890 Set 5 Pcs. Slotted & Phillips Stainless Steel Screwdrivers

High quality, non-rusting stainless steel blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	+	+	+	+	+	+	+	+	+
No.	mm	mm	mm	mm	mm	lbs.			
30890	30836	3.5	75	31211	1	80	.84		
	30845	4.5	90	31212	2	100			
	30855	5.5	100						



37690 Set 5 Pcs. TORX® Stainless Steel Screwdrivers

High quality, non-rusting stainless steel blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	+	+	+	+	+	+	+	+	+
No.	Size	mm	mm	mm	mm	lbs.			
37690	37608	T8	60	37620	T20	100	.88		
	37610	T10	80	37625	T25	100			
	37615	T15	80						

Wiha Interchangeable Tools

Magnetize & Demagnetize



[SHOP](#)

48190 4 Piece Slotted & Phillips Interchangeable Blade Set, In Durable Pouch Set includes Magnetizer/Demagnetizer handle & 3 interchangeable blades.

Item	
No. 48190	lbs. .62
Slotted:	3.0, 4.0, 6.0mm Phillips: 0, 1, 2
Wiha Magnetizer/Demagnetizer Handle	



[SHOP](#)

48106 Magnetizer/Demagnetizer Handle


Wiha-Hex bolster for additional torque.

Advantages:

- Ergo soft grip panels for comfort
- Built in blade Magnetizer/Demagnetizer

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
48106	6.0	109	4.1	29	1.1	.14

Switch Cabinet Key



NEW

[SHOP](#)

21103 Switch Cabinet Keys

For applications with all common switch cabinets and locking systems. Diecast Zinc

Item No.	mm	Inch	Pkg.	lbs.
21103	76	3.0"	5	.22

Wiha ACR® Slotted & Phillips Screwdrivers

ACR® Anti-Cam-Out Ribs


Anti-Cam-Out ribs give maximum grip in the screw head

Dual material handle has molded in soft grip panels & hang hole

Round blade made CVM special tool steel

Precision machined exact fit slotted tips ACR® ribs

3K overdrive maximum comfort molded on ergonomic handle



Precision Black Tips



[SHOP](#)

469 ACR® Slotted Screwdriver, With Wiha-3K Series Handle

Blade chrome-vanadium-molybdenum steel, hardened, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item										
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
46912	4.5	.177	80	3.1	1.3	.050	186	7.3	.13	10
46915	4.5	.177	150	5.9	1.3	.050	256	10.0	.16	10
46921	6.0	.236	100	3.9	1.5	.058	218	8.5	.21	10
46924	6.0	.236	150	5.9	1.5	.058	269	10.5	.23	10
46933	8.0	.315	150	5.9	2.0	.078	269	10.5	.27	10



[SHOP](#)

468 ACR® Phillips Screwdriver, With Wiha-3K Series Handle

Blade chrome-vanadium-molybdenum steel, hardened, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
46803	1	80	3.1	186	7.3	.13	10
46806	1	150	5.9	257	10.1	.15	10
46812	2	100	3.9	218	8.5	.21	10
46815	2	150	5.9	269	10.6	.23	10



[SHOP](#)

46991 Set 6 Pcs. Slotted & Phillips 3K ACR® Soft Grip Set

Blade chrome-vanadium-molybdenum steel, hardened, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item							
No.	mm	mm	Size	mm	lbs.		
46991	46912	4.5	80	46803	1	80	1.49
	46921	6.0	100	46806	1	150	
	46933	8.0	150	46812	2	100	

Wiha 3K Series Screwdrivers and Sets

3K Ergonomic Series Screwdrivers & Sets



Hole in handle for hanging

Blades made of CVM tool steel, chromed shaft

Dual material handle has molded soft grip panels

Exact fit precision machined black tips



SHOP

450 Slotted Screwdriver, With Wiha-3K Series Handle

Blade chrome-vanadium-molybdenum steel, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item No.	Slotted	Phillips	Torx	Pozidriv	Bit Holder	Folding Ruler	lbs.	pkg.		
	mm	Inch	mm	Inch	mm	Inch				
45040**	2.5	.10	75	3.0	0.4	.02	161	6.3	.06	10
45050**	3.0	.12	100	3.9	0.5	.02	185	7.3	.07	10
45052**	3.5	.14	100	3.9	0.6	.02	197	7.7	.09	10
45054**	4.0	.16	100	3.9	0.8	.03	206	8.1	.12	10
45055	4.5	.18	100	3.9	1.0	.04	207	8.1	.13	10
45056	4.5	.18	150	5.9	1.0	.04	257	10.1	.14	10
45057	4.5	.18	200	8.0	1.0	.04	306	12.0	.15	10
45058	5.5	.22	125	5.0	1.0	.04	243	9.5	.19	10
45060	6.0	.24	100	3.9	0.9	.04	218	8.5	.20	10
45061	6.0	.24	150	5.9	0.9	.04	268	10.5	.23	10
45062	6.0	.24	200	8.0	0.9	.04	318	12.5	.25	10
45064*	6.5	.24	40	1.6	1.2	.05	90	3.5	.08	10
45065	6.5	.24	150	5.9	1.2	.05	268	10.5	.23	10
45067	8.0	.32	150	5.9	1.2	.05	268	10.5	.26	10
45069	10.0	.39	200	8.0	1.6	.06	318	12.5	.35	10

* Stubby screwdriver with Wiha Powerhandle - 45064
** Cabinet Tip



SHOP

48401 1/4" Bit holding Screwdriver, With Wiha-Ergo 3K Handle

Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM tool steel, nickel plated.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
48401	1/4"	125	5.0	211	8.3	.24	1



SHOP

451 Phillips Screwdriver, With Wiha-3K Series Handle

Item No.	mm	Inch	mm	Inch	lbs.	pkg.	
45135	0	60	2.4	145	5.7	.06	10
45137	1	80	3.1	187	7.3	.13	10
45140	1	200	8.0	307	12.0	.16	10
45142	2	100	3.9	218	8.5	.21	10
45144	2	150	5.9	268	10.5	.23	10
45147	2	200	8.0	318	12.5	.25	10
45150*	2	40	1.6	90	3.5	.08	10
45152	3	150	5.9	268	10.5	.31	10

* Stubby screwdriver with Wiha Powerhandle - 45150



SHOP

46098 4 Piece Slotted & Phillips Screwdriver Set

Item No.	Slotted	Phillips	Size	mm	lbs.
46098	45055	45137	1	80	.83
	45060	45142	2	100	



SHOP

46099 40 Piece Slotted, Phillips, TORX®, Pozidriv®, Bit Holder & Folding Ruler

Item No.	Slotted	Phillips	TORX	Pozidriv	Bit Holder	Folding Ruler	lbs.
46099	2.5, 3.0, 3.5, 4.0, 4.5x100, 4.5x150, 4.5x200, 5.5, 6.0x100, 6.0x150, 6.0x200, 6.5x40, 6.5x150, 8.0, 10mm	0x60, 1x80, 1x200, 2x100, 2x150, 2x200, 2x40, 3x150	T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50	1x80, 2x100	3K 1/4" Magnetic Bit Holder	61601 Folding Ruler	10.4

Wiha 3K Series Screwdrivers and Sets



[SHOP](#)

46095 5 Piece Slotted & Phillips Screwdriver Set

Blade chrome-vanadium-molybdenum steel, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item No.	Slotted mm	Slotted mm	Phillips Size	Phillips mm	Weight lbs.
46095	45055	4.5 100	45135	0 60	1.04
	45060	6.0 100	45137	1 80	
			45142	2 100	



[SHOP](#)

46094 6 Piece Slotted & Phillips Screwdriver Set

Blade chrome-vanadium-molybdenum steel, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item No.	Slotted mm	Slotted mm	Phillips Size	Phillips mm	Weight lbs.
46094	45050	3.0 100	45137	1 80	.91
	45055	4.5 100	45144	2 150	
	45058	5.5 125			
	45065	6.5 150			



[SHOP](#)

46097 8 Piece Slotted & Phillips Set Blade CVM steel, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item No.	Slotted mm	Slotted mm	Phillips Size	Phillips mm	Weight lbs.
46097	45050	3.0 100	45137	1 80	1.70
	45055	4.5 100	45142	2 100	
	45060	6.0 100	45150	2 40	
	45067	8.0 150	45152	3 150	



[SHOP](#)

452 Pozidriv® Screwdriver, With Wiha-3K Series Handle

Blade chrome-vanadium-molybdenum steel, hard chromed shaft. Wiha-3k Ergo handle, cushion grip. Black tip.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
45205	0	60	2.4	146	5.7	.06	10
45207	0	100	3.9	186	7.3	.07	10
45215	1	80	3.1	187	7.3	.13	10
45220	1	100	3.9	207	8.1	.14	10
45225	2	100	3.9	219	8.6	.21	10
45230	2	150	5.9	269	10.6	.23	10
45235	3	150	5.9	269	10.6	.31	10

Wiha TORX® 3K Series Drivers and Sets



[SHOP](#)

455 TORX® Screwdriver, With Wiha-3K Series Handle

Blade high alloy CVM steel, hardened, precision black tip. Molded on ergonomic Wiha-3K Series handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45504	T6	60	2.4	3.2	9/64	145	5.7	.06	10
45507	T7	60	2.4	3.5	9/64	129	5.1	.05	10
45508	T8	60	2.4	3.5	9/64	139	5.5	.06	10
45509	T9	60	2.4	4.0	5/32	149	5.8	.08	10
45510	T10	80	3.1	4.0	5/32	170	6.7	.10	10
45515	T15	80	3.1	4.0	5/32	190	7.5	.11	10
45520	T20	100	3.9	5.5	7/32	215	8.4	.11	10
45525	T25	100	3.9	6.0	1/4	215	8.4	.20	10
45527	T27	115	4.5	7.0	9/32	240	9.4	.28	10
45530	T30	115	4.5	6.0	1/4	233	9.1	.21	10
45540	T40	130	5.1	7.0	9/32	248	9.7	.25	10
45545	T45	130	5.1	8.0	5/16	249	9.8	.30	10
45550	T50	130	5.1	9.0	3/8	249	9.8	.33	10



[SHOP](#)

45593 Set 5 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

Item No.	Size	mm	Size	mm	Weight lbs.
45593	45508	T8 60	45520	T20 100	.86
	45510	T10 80	45525	T25 100	
	45515	T15 80			



Wiha 3K Series Drivers & Sets



[SHOP](#)

45598 Set 6 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

Item No.	Size	mm	Size	mm	lbs.
45504	T6	60	45509	T9	60
45507	T7	60	45510	T10	80
45508	T8	60	45515	T15	80



[SHOP](#)

45595 Set 8 Pcs. TORX® Wiha-3k Ergo handle, cushion grip.

Item No.	Size	mm	Size	mm	lbs.
45508	T8	60	45520	T20	100
45509	T9	60	45525	T25	100
45510	T10	80	45527	T27	115
45515	T15	80	45530	T30	115



[SHOP](#)

45597 Set 11 Pcs. TORX® 3K Ergo Series Screwdriver Set
Blade chrome-vanadium-molybdenum steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

Item No.	Size	mm	Size	mm	lbs.
45504	T6	60	45520	T20	100
45507	T7	60	45525	T25	100
45508	T8	60	45527	T27	115
45509	T9	60	45530	T30	115
45510	T10	80	45540	T40	130
45515	T15	80			

Wiha Ball End 3K Series Drivers & Sets




Metric / Soft Grip

[SHOP](#)

467 Ball End Hex Metric Screwdriver, With Wiha-3K Ergo Handle

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item No.	mm	mm	mm	lbs.	pkg.
46715	1.5	75	161	.07	10
46720	2.0	100	186	.07	10
46725	2.5	100	186	.07	10
46730	3.0	100	186	.07	10
46740	4.0	100	197	.11	10
46750	5.0	100	197	.13	10
46760	6.0	150	257	.21	10
46780	8.0	200	307	.34	10
46786	10.0	200	319	.52	10



[SHOP](#)

46796 7 Piece Metric Ball End Hex Screwdriver Set

Item No.	mm	mm	mm	mm	lbs.
46715	1.5	75	46740	4.0	100
46720	2.0	100	46750	5.0	100
46725	2.5	100	46760	6.0	150
46730	3.0	100			




[SHOP](#)

46799 9 Piece Metric Ball End Hex Screwdriver Set

Item No.	mm	mm	mm	mm	lbs.
46715	1.5	75	46750	5.0	100
46720	2.0	100	46760	6.0	150
46725	2.5	100	46780	8.0	200
46730	3.0	100	46786	10.0	200
46740	4.0	100			

Wiha Ball End 3K Series Drivers & Sets



Inch / Soft Grip


[SHOP](#)

467 Ball End Hex Inch Drivers, With 3K Ergo Soft Grip Handles

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item No.	Hex	Inch	Inch	Inch	lbs.	pkg.
46702	.050	2.9	6.3	.07	.07	10
46704	1/16	2.9	6.3	.07	.07	10
46706	5/64	3.9	7.3	.07	.07	10
46708	3/32	3.9	7.3	.07	.07	10
46710	7/64	3.9	7.3	.07	.07	10
46712	1/8	3.9	7.7	.09	.09	10
46714	9/64	3.9	7.7	.10	.10	10
46716	5/32	3.9	7.7	.11	.11	10
46718	3/16	3.9	7.7	.12	.12	10
46722	7/32	5.9	10.0	.19	.19	10
46724	1/4	5.9	10.0	.22	.22	10
46726	5/16	7.9	12.0	.34	.34	10
46728	3/8	7.9	12.5	.48	.48	10


- Soft panel grip
- Convenient hang hole
- Hardened CVM tool steel
- Exact fit precision machined tips
- Fast angle entry



[SHOP](#)

46793 8 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Item No.	Hex	Inch	Inch	Hex	Inch	Inch	lbs.
46793	46702	.050	2.9	46710	7/64	3.9	1.19
	46704	1/16	2.9	46712	1/8	3.9	
	46706	5/64	3.9	46714	9/64	3.9	
	46708	3/32	3.9	46716	5/32	3.9	



[SHOP](#)

46797 13 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3k Ergo soft grip handles.

Item No.	Hex	Inch	Inch	Hex	Inch	Inch	lbs.
46797	46702	.050	2.9	46716	5/32	3.9	2.40
	46704	1/16	2.9	46718	3/16	2.9	
	46706	5/64	3.9	46722	7/32	5.9	
	46708	3/32	3.9	46724	1/4	5.9	
	46710	7/64	3.9	46726	5/16	7.9	
	46712	1/8	3.9	46728	3/8	7.9	
	46714	9/64	3.9				



[SHOP](#)


46794 6 Piece 3K Ergo Inch Ball End Hex Screwdriver set

Item No.	Hex	Inch	Inch	Hex	Inch	Inch	lbs.
46794	46712	1/8	3.9	46718	3/16	3.9	.97
	46714	9/64	3.9	46722	7/32	5.9	
	46716	5/32	3.9	46724	1/4	5.9	

Yellow = Inch
Red = Metric

Wiha Drive-Loc VI Handles

Drive-Loc VI
For Adjustable Length Locking Blades



The blade length can be adjusted from 40mm-120mm. (1.7 to 4.7")

Locking mechanism in SoftFinish cushion grip ergonomic handle. Blade length can be adjusted from 40mm-120mm. (1.7 to 4.7") In 1/8" increments)

Drive-Loc mechanism guarantees a secure hold & rapid blade exchange

Adjust interchangeable blades from 40 to 120mm

Ergonomic handles in ESD Safe, cushioned & non-slip grip

Blades high quality CVM steel, hard chrome finish

 See Drive-Loc VI Nut drivers on Page 46









[SHOP](#)

28488 Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages: Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28488	6.0	115	4.5	36.0	1.41	.26









[SHOP](#)

28486 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages: Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28486	6.0	115	4.5	36.0	1.41	.21









[SHOP](#)

28487 Drive-Loc VI MicroFinish Non-Slip Grip Handle





Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers.

Advantages: Ergonomic handle shape for maximum comfort, Drive-Loc mechanism guarantees a secure hold & rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28487	6.0	115	4.5	36.0	1.41	.20



281 Slotted Drive-Loc VI Interchangeable Blade High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.





Item				
No.	mm	mm	lbs.	pkg.
28106	3.5	4.5	.10	1
28108	5.5	6.5	.10	1

[SHOP](#)



281 Slotted & Phillips Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.


Item				
No.	mm	Size	lbs.	pkg.
28107	3.0	0	.10	1
28109	4.0	1	.10	1
28110	6.0	2	.10	1

[SHOP](#)



28112 Phillips Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size	Size	lbs.	pkg.
28112	1	2	.10	1

[SHOP](#)



28137 Square Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size	Size	lbs.	pkg.
28137	1	2	.10	1

[SHOP](#)

Wiha Drive-Loc VI Blades



281 TORX® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.
Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item					SHOP
No.	Size + Size	lbs.	pkg.		
28126	T6 T8	.10	1		
28127	T7 T9	.10	1		
28128	T10 T15	.10	1		
28129	T20 T25	.10	1		
28130	T30 T40	.10	1		



281 Security TORX® Drive-Loc VI Interchangeable Blade high alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item					SHOP
No.	Size + Size	lbs.	pkg.		
28132	T6s T8s	.10	1		
28133	T7s T9s	.10	1		
28134	T10s T15s	.10	1		
28135	T20s T25s	.10	1		
28136	T30s T40s	.10	1		



28114 Pozidriv® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.
Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item					SHOP
No.	Size + Size	lbs.	pkg.		
28114	1 2	.10	1		



281 Tri-wing® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.
Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item					SHOP
No.	Size + Size	lbs.	pkg.		
28138	0 1	.10	1		
28139	2 3	.10	1		
28140	4 5	.10	1		



281 Torq Set® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.
Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item					SHOP
No.	Size + Size	lbs.	pkg.		
28142	2 4	.08	1		
28143	6 8	.10	1		

Wiha Drive-Loc VI Blades



281 Ball End Hex & Hex Metric Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.
Ball end enables the user to work at angles up to 25°. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item					SHOP
No.	mm + mm	lbs.	pkg.		
28116	2.5 2.5	.10	1		
28117	3 3	.10	1		
28118	4 4	.10	1		
28119	5 5	.10	1		
28120	6 6	.10	1		



281 Hex Metric Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.
Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.


Item					SHOP
No.	mm + mm	lbs.	pkg.		
28149	2.0 2.5	.09	1		
28150	3.0 4.0	.10	1		
28151	5.0 6.0	.10	1		



281 Hex Inch Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.
Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item					SHOP
No.	Inch + Inch	lbs.	pkg.		
28122	3/32 7/64	.10	1		
28123	1/8 9/64	.10	1		
28124	5/32 3/16	.10	1		



28191 33 Pc. Drive-Loc VI Interchangeable Blade Set, In Tool Box

Tray Set includes Drive-Loc VI handle & 31 interchangeable blades.

Item No.	28191		lbs.	3.48	SHOP
Slotted:	3.5+4.5, 5.5+6.5	Slotted/Phillips:	3.0+0, 4.0+1, 6.0+2		
Security TORX®:	T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s				
Square:	1+2	Hex Inch:	3/32+7/64, 1/8+9/64, 5/32+3/16		
Hex Metric:	2.0+2.5, 3.0+4.0, 5.0+6.0				
Nut Drivers Inch:	1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"				
Nut Drivers Metric:	5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm				
Wiha SoftFinish® Cushion Grip & MicroFinish Non-Slip Grip Handles					

Drive-Loc VI Nut Driver Blades & Sets



[SHOP](#)

281 Drive-Loc VI Inch Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish.
OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Inch	OAL	lbs.	pkg.
28156	3/16	5.9"	.11	1
28157	7/32	5.9"	.11	1
28158	1/4	5.9"	.11	1
28159	9/32	5.9"	.12	1
28160	5/16	5.9"	.13	1
28161	11/32	5.9"	.14	1
28162	3/8	5.9"	.15	1
28163	7/16	5.9"	.17	1
28164	1/2	5.9"	.18	1



[SHOP](#)

281 Drive-Loc VI Metric Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish.
OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm	OAL	lbs.	pkg.
28168	4.0	150mm	.10	1
28169	4.5	150mm	.10	1
28170	5.0	150mm	.11	1
28171	5.5	150mm	.11	1
28172	6.0	150mm	.12	1
28173	7.0	150mm	.13	1
28174	8.0	150mm	.13	1
28177	9.0	150mm	.14	1
28175	10.0	150mm	.15	1
28176	11.0	150mm	.20	1



[SHOP](#)

28196 8 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 7 Inch Nut Driver blades.

Item	
No. 28196	1.22
Inch:	3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"
Wiha SoftFinish® Cushion Grip Blade Lock Handle	



28198 8 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 7 Metric Nut Driver blades.

Item	
No. 28198	1.00
Metric:	5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0mm
Wiha SoftFinish® Cushion Grip Blade Lock Handle	

Drive-Loc VI Interchangeable Blade Sets



[SHOP](#)

28194 5 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 4 interchangeable blades.

Item	
No. 28194	.80
Slotted:	3.5+4.5, 5.5+6.5
Phillips:	1+2
Square:	1+2
Wiha SoftFinish® Cushion Grip Blade Lock Handle	



[SHOP](#)

28197 6 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 5 interchangeable blades.

Item	
No. 28197	.83
Security TORX®:	T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s & SoftFinish® Cushion Grip Blade Lock Handle



[SHOP](#)

28199 10 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 9 interchangeable blades.

Item	
No. 28199	1.11
Slotted/Phillips:	4.0+1, 6.0+2
TORX®:	T6+T8, T7+T9, T10+T15, T20+T25
Hex Inch:	3/32+7/64, 1/8+9/64, 5/32+3/16"
Wiha SoftFinish® Cushion Grip Blade Lock Handle	



[SHOP](#)

28189 15 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 14 interchangeable blades.

Item No.	
28189	1.28
Slotted:	3.5+4.5, 5.5+6.5
Phillips:	1+2
Security TORX®:	T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s
Hex Inch:	3/32+7/64, 1/8+9/64, 5/32+3/16
Hex Metric:	2.0+2.5, 3.0+4.0, 5.0+6.0mm
Wiha SoftFinish® Cushion Grip Blade Lock Handle	

Wiha MicroFinish Handle - Non-Slip Grip

Wiha MicroFinish handle has a patented non-slip surface - it won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. You get maximum force and comfort with dry, oily or wet hands.

Blade Chrome-vanadium-molybdenum, hardened and tempered tool steel, gives exceptional tool life, wear resistance and high torque performance

Exact fit precision ground tips

Through hardened blades & hard chrome finish

Safe, high density material, eliminates risk of sharp objects becoming embedded in the handle

MicroFinish Handle with patented non slip surface. Ergo handle shape for maximum comfort and exceptional torque transfer

Hex bolster & steel strike cap on 533 & 534 series



[SHOP](#)



[SHOP](#)

520 Slotted Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs	pkg.
52005*	4.0	.157	100	3.9	0.8	.031	211	8.3	.16	10
52010*	4.0	.157	150	5.9	0.8	.031	261	10.3	.17	10
52020*	5.5	.216	125	5.0	1.0	.039	236	9.3	.20	10
52025*	5.5	.216	150	5.9	1.0	.039	261	10.3	.21	10
52035	6.5	.255	150	5.9	1.2	.047	268	10.6	.28	10
52040	8.0	.315	150	5.9	1.2	.047	274	10.8	.37	10
52050	10.0	.393	200	8.0	1.6	.063	324	12.8	.50	10

*Cabinet Tips

521 Phillips Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
52105	1	80	3.1	191	7.5	.15	10
52110	1	200	8.0	311	12.2	.21	10
52115	2	100	3.9	218	8.6	.26	10
52120	2	200	8.0	318	12.5	.34	10
52125	3	150	5.9	274	10.8	.41	10



#52090



#52097

[SHOP](#)

52090 5 Piece Slotted & Phillips Screwdriver Set

Blade CVM steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	Slotted	Phillips	lbs.
52090	4.0x100, 5.5x125, 8.0x150mm	1x80, 2x100mm	1.23

52097 7 Piece Slotted & Phillips Screwdriver Set

Item No.	Slotted	Phillips	lbs.
52097	4.0x100, 5.5x125, 8.0x150mm	#1x80, #1x200, #2x100, #2x200mm	1.34



#52098

#52099

[SHOP](#)

52098 8 Piece Slotted & Phillips Screwdriver Set

Blade high alloy CVM steel, hardened, hard chromed. Wiha-MicroFinish® handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	Slotted	Phillips	lbs.
52098	4.0x100, 5.5x125, 6.5x150, 8.0x150, 10.0x200mm	1x80, 2x100, 3x150mm	2.58

52099 12 Piece MicroFinish® Slotted & Phillips Screwdriver Set

Item No.	Slotted	Phillips	lbs.
52099	4.0x100, 4.0x150, 5.5x125, 5.5x150, 6.5x150, 8.0x150, 10.0x200mm	1x80, 1x200, 2x100, 2x200, 3x150mm	4.20

Wiha MicroFinish Extra Heavy Duty Handle



[SHOP](#)

533 Heavy Duty Slotted Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53310*	4.5	.177	90	3.6	1.0	.039	201	7.9	.20	10
53315	5.5	.216	100	3.9	1.0	.039	213	8.4	.33	10
53320	6.5	.255	125	5.0	1.2	.047	238	9.4	.38	10
53325	8.0	.315	150	5.9	1.2	.047	271	10.7	.61	10
53330	10.0	.393	175	7.0	1.6	.063	296	11.7	.65	10

*No hex bolster



[SHOP](#)

534 Heavy Duty Phillips Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
53405	1	80	3.1	186	7.3	.22	10
53410	2	100	3.9	213	8.4	.37	10
53425	3	150	5.9	268	10.6	.71	10



Safe Non-Slip Grip



[SHOP](#)

53390 5 Piece Slotted & Phillips, Heavy Duty Set Blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with steel striking cap. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	mm	mm	Size	mm	lbs.		
53390	53315	5.5	100	53405	1	80	2.1
	53320	6.5	125	53410	2	100	
	53325	8.0	150				




[SHOP](#)

53398 8 Piece Slotted & Phillips, Heavy Duty Set Blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with steel striking cap. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	mm	mm	Size	mm	lbs.		
53398	53310*	4.5	90	53405	1	80	3.7
	53315	5.5	100	53410	2	100	
	53320	6.5	125	53425	3	150	
	53325	8.0	150				
	53330	10.0	175				

*No hex bolster



[SHOP](#)

52650 1/4" Bit holding Screwdriver, With Wiha-MicroFinish Handle Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft chrome-vanadium steel, nickel-plated. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
52650	1/4	125	5.0	243	9.6	.24	10










Wiha TORX® MicroFinish Handle Non-Slip Grip



[SHOP](#)

527 TORX® Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.








Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
52711	T9	60	2.4	4.0	.157	171	6.7	.15	10
52713	T10	80	3.1	4.0	.157	191	7.5	.15	10
52716	T15	80	3.1	4.0	.157	191	7.5	.15	10
52719	T20	100	3.9	4.0	.157	211	8.3	.15	10
52722	T25	100	3.9	4.5	.177	211	8.3	.16	10
52726	T27	115	4.5	5.5	.216	233	9.2	.25	10
52729	T30	115	4.5	6.0	.236	233	9.2	.27	10
52732	T40	130	5.1	7.0	.275	254	10.0	.40	10



[SHOP](#)

52790 Set 5 Pcs. TORX®

Blade chrome-vanadium-molybdenum steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.








Item							
No.	Size	mm		Size	mm		lbs.
52790	52713	T10	80	52722	T25	100	1.0
	52716	T15	80	52729	T30	115	
	52719	T20	100				



[SHOP](#)

52791 Set 8 Pcs. TORX®

Blade chrome-vanadium-molybdenum steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item							
No.	Size	mm		Size	mm		lbs.
52791	52711	T9	60	52722	T25	100	1.89
	52713	T10	80	52726	T27	115	
	52716	T15	80	52729	T30	115	
	52719	T20	100	52732	T40	130	










Wiha Powerhandle TORX® Made in Germany



[SHOP](#)

362 TORX® Screwdriver, With Wiha-Powerhandle CVM steel

blade, hardened, hard chromed. Wiha-powerhandle cellulose-acetate.


Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36205	T5	50	2.0	2.5	.098	110	4.3	.03	10
36210	T6	50	2.0	3.5	.139	125	4.9	.06	10
36212	T7	50	2.0	3.5	.139	125	4.9	.06	10
36215	T8	60	2.4	3.5	.139	135	5.3	.06	10
36220	T9	60	2.4	4.0	.157	140	5.5	.09	10
36225	T10	80	3.1	4.0	.157	170	6.7	.13	10
36230	T15	80	3.1	4.0	.157	170	6.7	.13	10
36235	T20	100	3.9	4.0	.157	200	7.9	.17	10
36240	T25	100	3.9	4.5	.177	200	7.9	.18	10
36245	T27	115	4.5	5.5	.216	215	8.5	.20	10
36250	T30	115	4.5	6.0	.236	225	8.9	.28	10



[SHOP](#)

36292 8 Pc. Set TORX® Blade high alloy CVM steel, hardened,

hard chromed. Wiha-powerhandle cellulose-acetate, impact resistant.


Item No.	Includes:		lbs.
36292	T6, T8, T10, T15, T20, T25, T27, T30		1.45



[SHOP](#)

36293 6 Pc. Set TORX® Blade high alloy CVM steel, hardened,

hard chromed. Wiha-powerhandle cellulose-acetate, impact resistant.

Item No.	Includes:		lbs.
36293	T6, T7, T8, T9, T10, T15		.78

Wiha **TORX®** Protturn Screwdrivers


protturn
TORX®

Through hardened for optimum wear resistance

Molded on ergonomic handle proportioned to blade sizes

High performance tool steel

Black finish blades




[SHOP](#)

45591 Set 6 Pcs. TORX®

Item No.	Size	mm	Size	mm	lbs.
45591	45506	T7 50	45521	T10 80	.72
	45511	T8 60	45526	T15 80	
	45516	T9 60	45531	T20 100	

45592 Set 8 Pcs. TORX®

Item No.	Size	mm	Size	mm	lbs.
45592	45511	T8 60	45531	T20 100	1.07
	45516	T9 60	45536	T25 100	
	45521	T10 80	45541	T27 115	
	45526	T15 80	45546	T30 115	



[SHOP](#)



45589 Set 14 Pcs. TORX®

Item No.	Size	mm	Size	mm	lbs.
45589	45505	T6 50	45531	T20 100	2.2
	45506	T7 50	45536	T25 100	
	45511	T8 60	45541	T27 115	
	45516	T9 60	45546	T30 115	
	45521	T10 80	45551	T40 130	
	45522	T10 275	45556	T45 130	
	45526	T15 80	45561	T50 130	



48400 1/4" Bit Holding Screwdriver, With Wiha-Protturn Handle

Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pcs.
48400	1/4	125	5.0	243	9.6	.24	10

[SHOP](#)




455 TORX® Screwdriver, With Wiha-Protturn Handle

[SHOP](#)

Blade high alloy CVM steel, hardened, black finish. Molded on ergonomic Wiha-Protturn handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45505	T6	50	2.0	3.5	.139	129	5.1	.05	10
45506	T7	50	2.0	3.5	.139	129	5.1	.05	10
45511	T8	60	2.4	3.5	.139	139	5.5	.06	10
45516	T9	60	2.4	4.0	.157	149	5.8	.08	10
45521	T10	80	3.1	4.0	.157	170	6.7	.10	10
45522	T10	275	10.8	4.0	.157	363	14.2	.13	10
45526	T15	80	3.1	4.0	.157	170	6.7	.10	10
45531	T20	100	3.9	4.0	.157	190	7.5	.11	10
45536	T25	100	3.9	4.5	.177	190	7.5	.11	10
45541	T27	115	4.5	5.5	.216	215	8.4	.11	10
45546	T30	115	4.5	6.0	.236	215	8.4	.20	10
45551	T40	130	5.1	7.0	.275	240	9.4	.28	10
45556	T45	130	5.1	8.0	.315	240	9.4	.27	10
45561	T50	130	5.1	9.0	.354	240	9.4	.31	10

Wiha Dynamic Series Screwdrivers - Slotted & Phillips




Rotating cap prevents user discomfort and blisters - even at high pressure and high torque

Allows rapid rotation

Blade CVM steel, hardened, hard chromed

Ergonomic Handle shape for user comfort



[SHOP](#)

51090 5 Piece Slotted & Phillips Set, Wiha-Dynamic Handle

Item	Slotted	Phillips	Slotted	Phillips	Slotted	Phillips	lbs.	pkg.	
No.	mm	Inch	mm	Inch	Size	mm	Inch		
51090	3.0	.118	80	3.1	0	60	2.3	.68	1
	4.0	.157	100	3.9	1	80	3.1		
	5.5	.216	125	4.9					



[SHOP](#)

510 Slotted Screwdriver, With Wiha-Dynamic Handle
Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Dynamic-handle high quality plastic.

Item	Slotted	Phillips	Slotted	Phillips	Slotted	Phillips	Slotted	Phillips	lbs.	pkg.
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch		
51020	2.0	.08	65	2.5	0.4	.02	165	6.5	.04	10
51025	2.5	.10	75	3.0	0.4	.02	175	6.9	.04	10
51030	3.0	.12	80	3.1	0.5	.02	180	7.1	.05	10
51035	3.5	.14	100	3.9	0.6	.02	205	8.1	.07	10
51040	4.0	.16	100	3.9	0.8	.03	205	8.1	.08	10
51055	5.5	.22	125	5.0	1.0	.04	236	9.3	.14	10
51065	6.5	.26	150	5.9	1.2	.05	267	10.5	.20	10
51080	8.0	.32	175	7.0	1.2	.05	267	11.6	.29	10



[SHOP](#)

51099 11 Piece Slotted & Phillips Set, Wiha-Dynamic Handle

Item	Slotted: 2.0, 2.5, 3.0, 3.5, 4.0,	Phillips	lbs.
No.	5.5, 6.5, 8.0mm	0, 1, 2	
51099			1.3



[SHOP](#)

511 Phillips Screwdriver, With Wiha-Dynamic Handle

Item	Phillips	Slotted	Phillips	Slotted	Phillips	Slotted	Phillips	lbs.	pkg.
No.	Size	mm	Inch	mm	Inch	mm	Inch		
51105	0	60	2.4	3.0	1/8	160	6.3	.05	10
51110	1	80	3.1	4.5	3/16	191	7.5	.11	10
51120	2	100	3.9	6.0	1/4	217	8.5	.17	10



[SHOP](#)

90000 Plastic Screwdriver Tool Rack Rack holds all Wiha screwdrivers, with holes for hanging. Made from high quality plastic.


Item	lbs.	pkg.
No.		
90000	Rack for Wiha screwdrivers 5.75 x 2"	.10 1

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets



(+) to Magnetize
(-) to Demagnetize

40010 Magnetizer and Demagnetizer

[SHOP](#)

To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

Application:
To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

Item	Dimensions	lbs.
No.		
40010	2.1" x 2.0" x 1.1"	.30

(Parts under 1" Length or 1/8" Diameter may not demagnetize)

Wiha Cabinet Tip Screwdrivers




[SHOP](#)

186 Slotted Cabinet Tip Screwdriver, With Wiha-Square Handle

Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated. Tip parallel to shaft. Series includes extra long dimensions for screws in difficult to reach locations.

Wiha-square handle cellulose-acetate, impact resistant.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs	pkg.
18601	2.0	.08	40	1.6	0.40	.02	100	4.0	.02	10
18603	2.5	.10	50	2.0	0.40	.02	110	4.3	.02	10
18606	3.0	.12	75	3.0	0.50	.02	150	5.9	.05	10
18609	3.0	.12	100	3.9	0.50	.02	175	6.9	.06	10
18612	3.0	.12	150	5.9	0.50	.02	225	8.9	.06	10
18615	3.0	.12	200	8.0	0.50	.02	285	11.2	.08	10
18624	4.0	.16	100	3.9	0.60	.02	185	7.3	.08	10
18627	4.0	.16	150	5.9	0.60	.02	235	9.3	.10	10
18630	4.0	.16	200	8.0	0.60	.02	285	11.2	.11	10
18642	5.0	.20	100	3.9	0.70	.03	195	7.7	.13	10
18645	5.0	.20	150	5.9	0.70	.03	245	9.6	.15	10
18648	5.0	.20	200	8.0	0.70	.03	295	11.6	.17	10
18651	5.0	.20	300	12.0	0.70	.03	395	15.6	.20	10
18654	6.0	.24	100	3.9	0.90	.04	205	8.1	.19	10
18657	6.0	.24	150	5.9	0.90	.04	255	10.0	.21	10
18663	6.0	.24	300	12.0	0.90	.04	405	15.9	.29	10
18678	8.0	.32	300	12.0	1.20	.05	415	16.3	.39	10
18681	10.0	.39	200	8.0	1.60	.06	315	12.4	.37	10



[SHOP](#)

153 Phillips Screwdriver, With Wiha-Square Handle

Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated. Wiha-square handle cellulose-acetate, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
15305	0	60	2.4	3.0	.12	135	5.3	.05	10
15310	1	80	3.1	4.5	.18	175	6.9	.11	10
15315	1	200	8.0	4.5	.18	295	11.6	.15	10
15325	2	100	3.9	6.0	.24	205	8.1	.18	10
15330	2	250	10.0	6.0	.24	355	14.0	.27	10
15335	2	350	13.7	6.0	.24	455	17.8	.33	10
15340	3	150	5.9	8.0	.32	265	10.4	.33	10



[SHOP](#)

222 Pozidriv® Screwdriver, With Wiha-Square Handle

Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated. Wiha-square handle cellulose-acetate, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
22220	1	200	8.0	4.5	.17	295	11.6	.15	10
22230	2	250	9.8	6.0	.23	355	13.9	.27	10
22240	3	150	5.9	8.0	.31	265	10.4	.30	10

Wiha Offset Screwdrivers



[SHOP](#)

161 Phillips Offset Screwdriver, With Handle

For working in confined spaces. Blade CVM special steel, hardened, hard chromed. Handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
16112	1 + 2	125	4.9	5.5	.217	.08	10
16134	3 + 4	200	8.0	10.0	.315	.33	10

207 Slotted Offset Screwdriver, With Handle

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
20700	3.5	9/64	90	3.5	0.6	.02	.02	10
20705	4.0	5/32	100	3.9	0.8	.03	.03	10
20710	5.5	7/32	125	5.0	1.0	.04	.06	10
20715	6.5	1/4	125	5.0	1.2	.05	.07	10
20720	8.0	5/16	150	5.9	1.2	.05	.15	10
20725	10.0	3/8	175	6.9	1.6	.06	.23	10



[SHOP](#)

20790 5 Piece Slotted & Phillips Offset Screwdriver Set

Item No.	lbs.	Set includes the following drivers:
20790	.92	Slotted: 6.5, 8.0, 10.0 Phillips: 1 + 2, 3 + 4



[SHOP](#)

207 TORX® Offset Screwdriver With Molded Handle


For working in confined spaces. Blade CVM special steel, hardened, black finish.

Item No.	Size	lbs.	pkg.
20756	T6 + T8	.02	1
20757	T7 + T9	.02	1
20758	T10 + T15	.02	1
20759	T20 + T25	.07	1
20760	T27 + T30	.10	1

20799 TORX® Offset Screwdriver Set, 5 Pcs.

With Molded Handle Blade CVM special steel, hardened, black finish.

Item No.	Set Includes:	lbs.	pkg.
20799	T10+T15, T20+T25, T27+T30	.24	1



Rotating cap
for precise turning and control with fingertip

Precision handle
high quality plastic, cadmium free

Molded on tapered handle
allows rapid rotation

High performance blades
chrome-vanadium-molybdenum steel, Hard chrome finished

Tip
precision ground for exact fit, hard chromed non-slip surface

Wiha Precision Chip Lifter & Accessories



26810 Precision Chip Lifter [SHOP](#)
Blade chrome-vanadium-molybdenum steel, hardened, chrome-plated. Precision handle high quality plastic, impact resistant.

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
26810	1	3.5	50	145	5.7	.07	1

Standard handle


*Metric dimensions actual - Inch dimensions approximate



26001 Pocket Clip for Precision Screwdrivers [SHOP](#)
Tool clips turn Precision Screwdrivers into Pocket Screwdrivers.

Item No.	lbs.	pkg.
26001	.0035	1

Fits all Precision handles



26000 Plastic Precision Tool Rack [SHOP](#)
Rack holds 6 precision screwdrivers, can be set on workbench. Also has holes for hanging. Made from high quality plastic.

Item No.	lbs.	pkg.
26000	.08	1

Rack for 6 Precision screwdrivers


Wiha Long Life Precision Series



260 Slotted Screwdriver, With Precision Handle [SHOP](#)
Blade high alloy chrome-vanadium-molybdenum steel.


Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26008	.80	1/32	40	1.6	0.16	.01	120	4.7	.02	10
26010	1.0	.039	40	1.6	0.18	.01	120	4.7	.02	10
26012	1.2	3/64	40	1.6	0.20	.01	120	4.7	.02	10
26015	1.5	1/16	40	1.6	0.25	.01	120	4.7	.02	10
26018	1.8	.070	40	1.6	0.30	.01	120	4.7	.02	10
26020	2.0	5/64	40	1.6	0.40	.02	120	4.7	.02	10
26022	2.0	5/64	50	2.0	0.40	.02	145	5.7	.02	10
26023	2.0	5/64	100	3.9	0.40	.02	180	7.1	.03	10
26025	2.5	3/32	50	2.0	0.40	.02	145	5.7	.03	10
26027	2.5	3/32	100	3.9	0.40	.02	195	7.7	.03	10
26028	2.5	3/32	150	6.0	0.40	.02	245	9.6	.04	10
26030	3.0	1/8	50	2.0	0.50	.02	145	5.7	.03	10
26032	3.0	1/8	60	2.4	0.50	.02	170	6.7	.04	10
26033	3.0	1/8	100	3.9	0.50	.02	210	8.3	.04	10
26034	3.0	1/8	150	5.9	0.50	.02	260	10.2	.05	10
26035	3.5	9/64	60	2.4	0.60	.02	170	6.7	.05	10
26040	4.0	5/32	60	2.4	0.80	.03	170	6.7	.05	10
26041	4.0	5/32	100	3.9	0.80	.03	210	8.3	.06	10
26042	4.0	5/32	150	5.9	0.80	.03	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate



26090 6 Piece Precision Slotted Set [SHOP](#)
Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Slotted:	lbs.
26090	1.5, 2.0 x 40mm	.27
	2.5, 3.0 x 50mm	
	3.5, 4.0 x 60mm	



26099 8 Piece Precision Slotted Set [SHOP](#)
Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	Slotted:	lbs.
26099	1.0, 1.2, 1.5, 2.0 x 40mm	
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54

Wiha Precision Slotted/Phillips Drivers




261 Phillips Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

[SHOP](#)

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26102	000	40	1.6	2.0	.08	120	4.7	.02	10
26100	00	40	1.6	2.0	.08	120	4.7	.02	10
26101	00	75	3.0	2.0	.08	155	6.1	.02	10
26105	0	50	2.0	3.0	.12	145	5.7	.02	10
26108	0	75	3.0	3.0	.12	170	6.7	.03	10
26107	0	100	3.9	3.0	.12	195	7.6	.05	10
26109	0	150	5.9	3.0	.12	245	9.6	.06	10
26110	1	60	2.4	4.0	.16	170	6.7	.05	10
26113	1	80	3.1	4.0	.16	190	7.5	.05	10
26114	1	100	3.9	4.0	.16	210	8.2	.06	10
26115	1	150	5.9	4.0	.16	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26092 7 Piece Precision Slotted & Phillips Set Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	lbs.
26092	2.5 x 50mm,	.30
	2.5, 3.0, 4.0 x 100mm	
	3.0, 4.0 x 150mm	
	Phillips:	
	0 x 75mm	



[SHOP](#)

26194 4 Piece Precision Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Phillips:	lbs.
26194	000, 00 x 40mm	.18
	0 x 50mm, 1 x 60mm	



[SHOP](#)

26190 7 Piece Precision Slotted & Phillips Set Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	lbs.
26190	1.5 x 40mm	.31
	2.0, 2.5 x 50mm	
	3.0 x 60mm	
	Phillips:	
	00 x 40mm	
	0 x 50mm, 1 x 60mm	



[SHOP](#)

26192 5 Piece Precision Slotted & Phillips Set Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	lbs.
26192	2.5, 3.0, 4.0 x 150mm	.44
	Phillips:	
	0, 1 x 150mm	



In canvas storage pouch

[SHOP](#)

26199 8 Piece Precision Slotted/Phillips Set

Blade high alloy CVM steel, hard chrome finished.

Item No.	Slotted:	lbs.
26199	1.0, 2.0 x 40mm, 3.0 x 50mm	.55
	4.0 x 60mm	
	Phillips: 000, 00 x 40mm, 0 x 50mm,	
	1 x 60mm	



[SHOP](#)

91118 Rugged Polyester Canvas Storage Pouch

Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Wiha Pozidriv® Precision Series



[SHOP](#)

262 Pozidriv® Screwdriver, With Precision Handle
Blade high alloy chrome-vanadium-molybdenum steel.

Item	+	—	—	+	+	—	—	↺	↻
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26205	0	50	2.0	3.0	.12	145	5.7	.03	10
26210	1	60	2.4	4.0	.16	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Metric Precision Series



[SHOP](#)

263 Metric Metric Hex Driver, With Precision Handle
Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item	⬡	⬡	—	—	—	—	↺	↻
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26307	0.7	.028	40	1.6	120	4.7	.02	10
26309	0.9	.035	40	1.6	120	4.7	.02	10
26313	1.3	.050	40	1.6	120	4.7	.02	10
26315	1.5	-	50	2.0	145	5.7	.03	10
26320	2.0	5/64	50	2.0	145	5.7	.03	10
26325	2.5	-	60	2.4	170	6.7	.04	10
26330	3.0	-	60	2.4	170	6.7	.04	10
26340	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26390 7 Pc. Precision Hex Driver Set - Metric
Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	↺	↻
26390	Hex Metric:	lbs.
	0.7, 0.9, 1.3 x 40mm	.28
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	

Wiha Hex Inch Precision Series



[SHOP](#)

263 Inch Inch Hex Driver, With Precision Handle
Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item	⬡	⬡	—	—	—	—	↺	↻
No.	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
26307	0.028	0.7	40	1.6	120	4.7	.02	10
26309	0.035	0.9	40	1.6	120	4.7	.02	10
26313	0.05	1.3	40	1.6	120	4.7	.02	10
26316	1/16	-	50	2.0	145	5.7	.03	10
26320	5/64	2.0	50	2.0	145	5.7	.03	10
26323	3/32	-	60	2.4	170	6.7	.04	10
26327	7/64	-	60	2.4	170	6.7	.04	10
26331	1/8	-	60	2.4	170	6.7	.04	10
26333	9/64	60	2.4	170	6.7	.05	10	
26336	5/32	60	2.4	170	6.7	.05	10	

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26391 8 Pc. Precision Hex Driver Set - Inch
Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	↺	↻
26391	Hex Inch:	lbs.
	0.028, 0.035, 0.05 x 1.6"	.32
	1/16, 5/64 x 2.0"	
	3/32, 7/64, 1/8 x 2.4"	




[SHOP](#)

26399 8 Piece Precision Hex Driver Set - Inch
Blade high alloy chrome-vanadium-molybdenum steel.
Hard chrome finished. In canvas storage pouch

Item No.	↺	↻
26399	Hex Inch: 0.028, 0.035, 0.05 x 1.6"	lbs.
	1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4"	.55

Wiha Ball End Precision Series




[SHOP](#)

264 Inch Ball End Hex Inch Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	.050	40	1.6	120	4.7	.02	10
26416	1/16	50	2.0	145	5.7	.03	10
26419	5/64	50	2.0	145	5.7	.03	10
26423	3/32	50	2.0	145	5.7	.03	10
26427	7/64	60	2.4	170	6.7	.03	10
26431	1/8	60	2.4	170	6.7	.05	10
26436	9/64	60	2.4	170	6.7	.05	10
26439	5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

264 Metric Ball End Hex Metric Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy CVM steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	1.3	0.05	40	1.6	120	4.7	.02	10
26415	1.5	-	50	2.0	145	5.7	.03	10
26420	2.0	-	50	2.0	145	5.7	.03	10
26425	2.5	-	60	2.4	170	6.7	.04	10
26430	3.0	-	60	2.4	170	6.7	.05	10
26440	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26491 5 Piece Ball End Hex Driver Set - Metric

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum-steel.

Item No.	Ball End Hex Metric:	lbs.
26491	1.3 x 40mm	.25
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	

[SHOP](#)

[SHOP](#)

26490 8 Piece Ball End Hex Driver Set - Inch

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel.



Item No.	Ball End Hex Inch:	lbs.
26490	0.05 x 1.6"	.28
	1/16, 5/64, 3/32 x 2.0"	
	7/64, 1/8, 9/64,	
	5/32 x 2.4"	




[SHOP](#)

26499 8 Piece Ball End Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	Ball End Hex Inch:	lbs.
26499	0.05 x 1.6", 1/16, 5/64, 3/32 x 2.0"	.62
	7/64, 1/8, 9/64, 5/32 x 2.4"	

Wiha Precision Screwdriver Set



[SHOP](#)

92191 51 Piece Precision Tool Tray Set

Tool box tray. Equipped with 51 precision drivers.

Item No.	Slotted:	lbs.
92191	.8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0	
	Phillips: #000, #00, #0, #1	
	Torx®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10	
lbs. 3.14	Metric Hex: 1.3, 1.5, 2.0, 2.5, 3.0, 4.0	
	Inch Hex: .028, .035, 0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5	
	26810 Chip Lifter	

Wiha TORX® Precision Series



267 TORX® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26701	T1	40	1.6	120	4.7	.01	10
26702	T2	40	1.6	120	4.7	.02	10
26703	T3	40	1.6	120	4.7	.02	10
26704	T4	40	1.6	120	4.7	.02	10
26705	T5	40	1.6	120	4.7	.02	10
26706	T6	40	1.6	120	4.7	.02	10
26707	T7	40	1.6	120	4.7	.02	10
26708	T8	40	1.6	120	4.7	.03	10
26709	T9	50	2.0	145	5.7	.03	10
26710	T10	50	2.0	145	5.7	.03	10
26715	T15	60	2.4	170	6.7	.05	10
26720	T20	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



Wiha Pentalobe IPR Precision Series

Wiha Pentalobe IPR drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Mac Air



- Exact fit precision machined Pentalobe tips
- High performance CRM72 tool steel
- Hard chromed finish blades & tips
- Tapered ergonomic handle
- Easy spin finger tip control cap



267 Pentalobe IPR Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26761	P1	40	1.6	120	4.7	.01	1
26762	P2	40	1.6	120	4.7	.02	1
26763	P3	40	1.6	120	4.7	.02	1
26764	P4	40	1.6	120	4.7	.02	1
26765	P5	40	1.6	120	4.7	.02	1
26766	P6	40	1.6	120	4.7	.02	1

*Metric dimensions actual - Inch dimensions approximate



26794 6 Pc. Precision Pentalobe IPR Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. Super hardened best wear resistance long life

Item No.	Pentalobe IPR Drivers:	lbs.
26794	P1, P2, P3, P4, P5, P6	.35

Wiha Precision Screwdriver Set



92190 Master Technicians Bench Top Set

Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
92190	Phillips: #000, #00, #0, #1
	Torx®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
lbs. 2.86	Metric Hex: 1.3, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter



26790 6 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	lbs.
26790 TORX®:	
T6, T7, T8 x 40mm	.30
T9, T10 x 50mm	
T15 x 60mm	



26791 Set 8 Pcs. TORX® Screwdriver Set

Item No. 26791 T1, T2, T3, T4, T5, T6, T7, T8



26799 8 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. In canvas storage pouch

Item No.	lbs.
26799 TORX®:	
T3, T4, T5, T6, T7, T8 x 40mm	.50
T9 x T10 x 50mm	



26792 7 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	lbs.
26792 TORX®:	
T5, T6, T7, T8 x 40mm	.33
T9, T10 x 50mm	
T15 x 60mm	

Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver



Color coded symbols on rotating cap gives easy recognition of individual styles & sizes



CVM tool steel blade, hardened, hard chrome finish

Soft Grip Handle



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



SHOP

260 Slotted Precision Screwdriver, With PicoFinish Handle

Blade CVM steel, hardened, hard chromed.

Item No.	mm	Inch	mm	Inch	mm	Inch	Pkg.
26050	0.8	.03	40	1.6	134	5.3	10
26051	1.0	.04	40	1.6	134	5.3	10
26052	1.2	.05	40	1.6	134	5.3	10
26053	1.5	.06	40	1.6	134	5.3	10
26054	1.5	.06	60	2.4	154	6.1	10
26055	1.8	.07	40	1.6	134	5.3	10
26056	1.8	.07	60	2.4	154	6.1	10
26060	2.0	.08	40	1.6	140	5.5	10
26061	2.0	.08	60	2.4	160	6.3	10
26063	2.0	.08	100	3.9	200	7.9	10
26065	2.5	.09	50	2.0	150	5.9	10
26066	2.5	.09	75	3.0	175	6.9	10
26068	2.5	.09	100	3.9	200	7.9	10
26070	3.0	.13	50	2.0	150	5.9	10
26072	3.0	.13	100	3.9	200	7.9	10
26073	3.0	.13	150	5.9	250	9.8	10
26074	3.5	.14	60	2.4	160	6.3	10
26076	4.0	.16	60	2.4	160	6.3	10
26079	4.0	.16	100	3.9	200	7.9	10
26080	4.0	.16	150	5.9	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

261 Phillips Precision Screwdriver, With Soft PicoFinish Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	pkg.
26130	000	40	1.6	2.0	.08	134	5.3	10
26132	00	40	1.6	2.0	.08	134	5.3	10
26133	00	60	2.4	2.0	.08	154	6.1	10
26135	0	50	2.0	3.0	.12	150	5.9	10
26136	0	75	3.0	3.0	.12	175	6.9	10
26140	1	60	2.4	4.0	.16	160	6.3	10
26142	1	80	3.1	4.0	.16	180	7.1	10
26145	1	150	5.9	4.0	.16	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26093 8 Pc. Slotted Precision Screwdriver Set, With Soft PicoFinish Handle

In storage pouch

Item No.	Slotted:	lbs.
26093	.8, 1.2, 1.5, 2.0 x 40mm 2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54



SHOP

26193 8 Pc. Slotted & Phillips Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		lbs.
26193	Slotted: 1.0, 1.5, 2.0 x 40mm 2.5 x 50mm, 3.5 x 60mm Phillips: 00 x 40mm 0 x 50mm, 1 x 60mm	.55

Wiha Pico Soft Grip TORX®



267 TORX® Screwdriver, With Precision Soft PicoFinish Handle
Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Size	mm	Inch	mm	Inch	pkg.
26732	T1	40	1.6	134	5.3	10
26733	T2	40	1.6	134	5.3	10
26735	T3	40	1.6	134	5.3	10
26736	T4	40	1.6	134	5.3	10
26737	T5	40	1.6	134	5.3	10
26739	T6	40	1.6	140	5.5	10
26741	T7	40	1.6	140	5.5	10
26743	T8	40	1.6	140	5.5	10
26745	T9	50	2.0	150	5.9	10
26747	T10	50	2.0	150	5.9	10
26749	T15	60	2.4	160	6.3	10
26751	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



26793 8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	TORX® :	lbs.
26793	T1, T2, T3, T4, T5, T6, T7, T8 x 40mm	.50



26796 8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	TORX® :	lbs.
26796	T5, T6, T7, T8 x 40mm T9, T10 x 50mm, T15, T20 x 60mm	.57

Wiha Pico Soft Grip Screw Holding



267 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26721	T6	40	1.6	140	5.5	.03	10
26723	T7	40	1.6	140	5.5	.03	10
26725	T8	40	1.6	140	5.5	.03	10
26727	T9	50	2.0	150	5.9	.04	10
26729	T10	50	2.0	150	5.9	.04	10
26731	T15	60	2.4	160	6.3	.04	10

*Metric dimensions actual - Inch dimensions approximate



26798 6 Pc. MagicSpring Screw Holding TORX® Screwdriver Set, With Wiha-Precision Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips. In storage pouch

Item No.	MagicSpring TORX® :	lbs.
26798	T6, T7, T8 x 40mm T9, T10 x 50mm, T15 x 60mm	.45

Pico Soft Grip Precision Chip Lifter



26815 Soft PicoFinish Precision Chip Lifter
Blade chrome-vanadium-molybdenum steel, hardened, hard chromed.

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
26815	1	3.5	50	150	5.9	.03	1

Standard Soft PicoFinish handle







Pico Soft Grip Hex Inch & Metric



[SHOP](#)

263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Inch	mm	Inch	mm	Inch	pkg.
26341	0.028(0.7)	40	1.6	134	5.3	10
26343	0.035(0.9)	40	1.6	134	5.3	10
26345	0.05(1.3)	40	1.6	134	5.3	10
26349	5/64(2.0)	50	2.0	150	5.9	10
26363	1/16	50	2.0	144	5.7	10
26367	3/32	60	2.4	160	6.3	10
26369	7/64	60	2.4	160	6.3	10
26371	1/8	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate










In storage pouch

[SHOP](#)

26392 8 Piece Hex Inch Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed.







Item No.						
26392	Hex Inch: 0.028, 0.035, 0.05 x 1.6"					lbs.
	5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4"					.24



[SHOP](#)

263 Hex Metric Driver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
26341	0.7(0.028)	40	1.6	134	5.3	10
26343	0.9(0.035)	40	1.6	134	5.3	10
26345	1.3(0.05)	40	1.6	134	5.3	10
26347	1.5	50	2.0	144	5.7	10
26349	2.0(5/64)	50	2.0	150	5.9	10
26351	2.5	60	2.4	160	6.3	10
26353	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate










In storage pouch

[SHOP](#)

26393 7 Piece Hex Metric Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed.

Item No.						
26393	Hex Metric: 0.7, 0.9, 1.3 x 40mm					lbs.
	1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm					.22







Pico Soft Grip Ball End Inch & Metric



[SHOP](#)

264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item						
No.	Inch	Inch	mm	Inch	mm	pkg.
26455	1/16	2.0	50	5.9	150	10
26457	5/64	2.0	50	5.9	150	10
26459	3/32	2.0	50	5.9	150	10
26461	7/64	2.4	60	6.3	160	10
26463	1/8	2.4	60	6.3	160	10
26465	9/64	2.4	60	6.3	160	10
26467	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate










In storage pouch

[SHOP](#)

26493 7 Piece Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.







Item No.						
26493	Ball End Hex Inch:					lbs.
	1/16, 5/64, 3/32 x 2.0"					.27
	7/64, 1/8, 9/64, 5/32 x 2.4"					



[SHOP](#)

264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle.

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
26441	1.3	40	1.6	134	5.3	10
26443	1.5	50	2.0	150	5.9	10
26445	2.0	50	2.0	150	5.9	10
26447	2.5	60	2.4	160	6.3	10
26449	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

Wiha Protturn Precision Screwdrivers

protturn

Rotating cap for precise turning and control with fingertip

Tapered handle allows rapid rotation

Molded on ergonomic handle

Blade CVM steel, black finish blades

Tip precision ground for exact fit



SHOP

62990 5 Piece Slotted & Phillips Pocket Pack Set Wiha Protturn precision ball retainer handle & 4 Wiha interchangeable blades.

62990 Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0

Phillips: #000, #00, #0, #1

lbs. .15



SHOP

95190 6 Piece Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.	Slotted	mm	mm	Phillips	Size	mm	lbs.
95190	Slotted:	1.5mm	40	Phillips:	00	40	.27
		2.5mm	50		0	50	
		3.5mm	60		1	60	



SHOP

65090 9 Piece Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.	Slotted	mm	mm	mm	mm	Phillips	Size	mm
65090	Slotted:	1.5	40	3.0	60	Phillips:	00	40
		2.0	50	3.5	60		0	50
		2.5	60	4.0	60		1	60



SHOP

96800 Protturn Precision Chip Lifter

Molded on precision handle. Blade chrome-vanadium-molybdenum tool steel, hardened, black finish.

Item No.	Size	mm	mm	Inch	lbs.	pkg.
96800	1.0	50	145	5.7	.07	1



SHOP

62993 9 Piece Slotted/Phillips/TORX® Work Station Set Wiha Protturn precision ball retainer handle & 8 Wiha interchangeable blades.

62993 Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0


Phillips: #000, #00, #0, #1

TORX®: T6, T7, T8, T9, T10, T15, T20

lbs. .35

#62995

#62994



SHOP

62995 22 Piece Slotted/Phillips/TORX®/Ball End Hex Inch & Metric Tech Pack Wiha Protturn precision ball retainer handle & 21 Wiha interchangeable blades. Set in canvas storage pouch

62995 Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0 Phillips: #000, #00, #0, #1

TORX®: T6, T7, T8, T9, T10, T15, T20

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

lbs. .87

62994 14 Piece Inch/Metric Ball End Hex Work Tech Pack

Protturn precision ball retainer handle & 13 Wiha interchangeable blades.

62994 Set includes the following blades:

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

lbs. .66 Set in canvas storage pouch

Wiha SYSTEM 4 Precision Handles and Blades



26900 **SYS 4 Standard Precision Handle**, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item	○	○	+	+	↵
No.	mm	Inch	mm	Inch	lbs.
26900	4.0	.1574	14.0	.55	.04



26901 **SYSTEM 4 Standard Precision Adjustable handle** with rotating control cap. **Advantages:**

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item	○	○	+	+	↵
No.	mm	Inch	mm	Inch	lbs.
26901	4.0	.1574	14.0	.55	.06



28000 **ESD Safe Dissipative Precision Handle** with rotating control cap. Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item	○	○	+	+	↵
No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04



28001 **ESD Safe Dissipative Precision Adjustable Handle** with rotating control cap. **Advantages:**

- Use in ESD sensitive applications. Surface resistant 10⁶-10⁹ Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item	○	○	+	+	↵
No.	mm	Inch	mm	Inch	lbs.
28001	4.0	.1574	14.0	.55	.04

Rotating Cap for precise turning and control

Precision Handle high quality plastic. ESD Safe or Standard styles

Tapered Handle allows rapid rotation, requires less clearance

Tips Exact fit, precision machined

Blades CVM steel, hardened, hard chromed. On 4mm Hex shafts

Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"



269 **SYSTEM 4 Pozidriv® Reversible Blade** High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item	+	+			↵
No.	Size	Size	mm	Inch	lbs.
26922	0 + 1	120	4.7	.03	



269 **SYSTEM 4 Metric Ball End & Standard Hex, Reversible Blade** CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips. One side hex, other side ballpoint hex.

Item	●	●			↵
No.	mm	mm	mm	Inch	lbs.
26932	1.3 + 1.3	120	4.7	.05	
26933	1.5 + 1.5	120	4.7	.05	
26934	2.0 + 2.0	120	4.7	.06	
26935	2.5 + 2.5	120	4.7	.06	
26936	3.0 + 3.0	120	4.7	.06	
26937	4.0 + 4.0	120	4.7	.06	



269 **SYSTEM 4 Slotted Reversible Blade** High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item	↑	↓			↵
No.	mm	mm	mm	Inch	lbs.
26903	1.5 + 3.0	120	4.7	.05	
26904	2.0 + 3.5	120	4.7	.05	
26905	2.5 + 4.0	120	4.7	.06	




280 **SYSTEM 4 Metric Ball End Hex Interchangeable Blade** High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item	●			↵	↵
No.	mm	mm	Inch	lbs.	pkg.
28033	1.5	120	4.7	.06	1
28034	2.0	120	4.7	.06	1
28035	2.5	120	4.7	.06	1
28036	3.0	120	4.7	.06	1
28037	4.0	120	4.7	.06	1



269 **SYSTEM 4 Phillips Reversible Blade** High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item	+	+			↵
No.	Size	Size	mm	Inch	lbs.
26911	000 + 00	120	4.7	.03	
26912	0 + 1	120	4.7	.03	



280 **SYSTEM 4 Inch Ball End Hex Interchangeable Blade** High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item	●			↵
No.	Inch	mm	Inch	lbs.
28021	0.05	120	4.7	.06
28023	1/16	120	4.7	.06
28024	5/64	120	4.7	.06
28025	3/32	120	4.7	.06
28026	7/64	120	4.7	.06
28027	1/8	120	4.7	.06
28028	9/64	120	4.7	.06
28029	5/32	120	4.7	.06



269 **SYSTEM 4 Combined Slotted/Phillips Reversible Blade**

Item	↑	↓	+			↵
No.	mm	Size	mm	Inch	lbs.	
26971	1.5 + 000	120	4.7	.05		
26972	2.0 + 00	120	4.7	.05		
26973	3.0 + 0	120	4.7	.05		
26974	4.0 + 1	120	4.7	.06		

Wiha SYSTEM 4 Precision Blades



[SHOP](#)

269 SYSTEM 4 Metric Hex Sizes, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item				
No.	mm	mm	Inch	lbs.
26913	0.7	120	4.7	.06
26914	0.9	120	4.7	.06
26915	1.3	120	4.7	.06
26916	1.5	120	4.7	.06
26917	2.0	120	4.7	.06
26918	2.5	120	4.7	.06
26919	3.0	120	4.7	.06
26920	4.0	120	4.7	.06



[SHOP](#)

269 SYSTEM 4 Inch Hex Sizes, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item				
No.	Inch	mm	Inch	lbs.
26921	0.05	120	4.7	.06
26923	1/16	120	4.7	.06
26924	5/64	120	4.7	.06
26925	3/32	120	4.7	.06
26926	7/64	120	4.7	.06
26927	1/8	120	4.7	.06
26928	9/64	120	4.7	.06
26929	5/32	120	4.7	.06



[SHOP](#)

269 SYSTEM 4 TORX® Reversible Blade High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item			
No.	Size	Size	lbs.
26951	T6 + T8		.03
26952	T7 + T9		.03
26953	T10 + T15		.03
26954	T15 + T20		.03



[SHOP](#)

269 SYSTEM 4 TORX® Interchangeable Blade High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item		
No.	Size	lbs.
26955	T3	.03
26956	T4	.03
26957	T5	.03

Wiha SYSTEM 4 Drive-Loc Precision Locking Tools



[SHOP](#)

26961 ESD Safe Dissipative Precision Drive-Loc Handle Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08



269 SYSTEM 4 Slotted Drive-Loc Reversible Locking Blades On 4mm Hex

Item			
No.	mm	mm	lbs.
26958	1.5 + 3.0		.02
26959	2.0 + 3.5		.02
26960	2.5 + 4.0		.02



269 SYSTEM 4 Phillips Drive-Loc Reversible Locking Blades On 4mm Hex

Item			
No.	Size	Size	lbs.
26975	000 + 00		.02
26976	0 + 1		.02



269 SYSTEM 4 TORX® Drive-Loc Reversible Locking Blades On 4mm Hex

Item			
No.	Size	Size	lbs.
26977	T1 + T2		.02
26978	T3 + T4		.02
26979	T5 + T6		.02
26980	T6 + T8		.02
26981	T7 + T9		.02
26982	T10 + T15		.02



280 SYSTEM 4 Pozidriv® Drive-Loc Reversible Locking Blades On 4mm Hex

Item			
No.	Size	Size	lbs.
28002	0 + 1		.02



280 SYSTEM 4 Metric Hex Drive-Loc Reversible Locking Blades On 4mm Hex blades

Item			
No.	mm	mm	lbs.
28003	1.3 + 1.3		.02
28004	1.5 + 1.5		.02
28005	2.0 + 2.0		.02
28006	2.5 + 2.5		.02
28007	3.0 + 3.0		.02
28008	4.0 + 4.0		.02



280 SYSTEM 4 Metric Nut Drivers Drive-Loc Reversible Locking Blades On 4mm Hex blades

Item			
No.	mm	mm	lbs.
28009	1.5 + 1.8		.02
28010	2.0 + 2.5		.02
28011	3.0 + 3.0		.02
28012	3.2 + 3.2		.02
28013	3.5 + 3.5		.02
28014	4.0 + 4.0		.02
28015	4.5 + 4.5		.02
28016	5.0 + 5.0		.02
28017	5.5 + 5.5		.02




[SHOP](#)

26985 12 Piece SYSTEM 4 Precision ESD Drive-Loc Set In storage pouch


Item No.	Description
26985	ESD Safe Drive-Loc Handle
	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0 lbs. .44
	Phillips: 000x00, 0x1
	TORX®: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15

Wiha Canvas Pouch Sets




SHOP


26990 4 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 3 Wiha interchangeable blades.

26990 Set includes the following blades:


- ↓  **Slotted:** 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 00, 0, 1

↔ lbs. .17




SHOP


26991 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades. In canvas pouch.

26991 Set includes the following blades:


- ↓  **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1

↔ lbs. .29




SHOP

26992 17 Pc. Slotted, Phillips and Ball End Hex Metric/Inch Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 15 Wiha interchangeable blades.

26992 Set include the following blades:

- ↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⬢ **Ball End Hex Inch:** .050, 1/16, 5/64, 7/64, 3/32, 1/8"
- ⬢ **Ball End Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm

Protorn Chip Lifter - #96800

↔ lbs. .63




Slotted, Phillips, TORX® Set In Steel Box




SHOP

28094 11 Piece Slotted, Phillips & TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 10 Wiha interchangeable blades.

28094 Set includes the following blades:

- ↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⬢ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15

↔ lbs. 1.51




SHOP

28080 22 Piece Slotted, Phillips, TORX® & Hex Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 20 Wiha interchangeable blades.

28080 Set includes the following blades:


- ↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⬢ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- ⬢ **Hex Sizes:** .028, .035
- ⬢ **Ball Hex:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

Protorn Chip Lifter - #96800

↔ lbs. .33




**ESD Technicians Kit
Precision Screwdrivers & Tweezers**




SHOP



44590 12 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle, 7 Wiha interchangeable blades & 4 ESD Safe Tweezers.

44590 Set includes the following blades:

- ↓  **Slotted:** 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⬢ **TORX®:** T6, T7, T8, T9, T10, T15


ESD Safe Precision Tweezers:

- 44501 Fine Point - AA SA
- 44509 Extra Fine Point - 5 SA
- 44505 Flat and Blunt - 2a SA
- 44510 Curved Fine Point - 7a SA

↔ lbs. .60




Slotted & Phillips Set In Steel Box




SHOP

26993 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades.

26993 Set includes the following blades:

- ↓  **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1

↔ lbs. .87




ESD Anti-Static Vinyl Pouch Set




[SHOP](#)

28091 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha-ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades.

28091 Set includes the following blades:

↓  **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm


⊕ **Phillips:** 000, 00, 0, 1

↔ **lbs.** .25




[SHOP](#)

28097 9 Piece Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha Interchangeable blades.


28097 Set includes the following blades:

↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1


⊗ **TORX®:** T5, T6, T7, T8, T9, T10, T15

↔ **lbs.** .33




[SHOP](#)

28084 13 Piece Slotted, Phillips and Ball End Hex Inch Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 12 Wiha interchangeable blades.

28084 Set includes the following blades:

↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⬤ **Ball End Hex Inch:** .050, 1/16,


5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

↔ **lbs.** .44



[SHOP](#)

28087 8 Piece TORX® Precision Interchangeable Blade Set

Wiha-ESD Safe  precision collet lock handle and 7 Wiha interchangeable blades.


28087 Set includes the following blades:

⊗ **TORX® sizes on standard blades:** T3, T4, T5

⊗ **TORX® sizes on reversible blades:**


T6, T7, T8, T9, T10, T15, T20

↔ **lbs.** .29




[SHOP](#)

26996 5 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 4 Wiha interchangeable blades. In metal storage box.

26996 ⊕ **Phillips:** 000, 00, 0, 1


↓  **Slotted:** 1.5, 2.0, 3.0, 3.5mm

↔ **lbs.** .24



[SHOP](#)

26997 9 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle & 8 Interchangeable blades. In metal storage box.

26997 ⊕ **Phillips:** 000, 00, 0, 1

↓  **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm


⊗ **TORX®:** T6, T7, T8, T9, T10, T15

↔ **lbs.** .34



[SHOP](#)

26999 9 Piece Hex Metric Precision Blade Set

Wiha ESD Safe  precision collet lock handle & 8 Wiha interchangeable blades. In metal storage box.

26999 ⬤ **Hex Metric:** .71, .89, 1.27, 1.5,


2.0, 2.5, 3.0, 4.0mm

↔ **lbs.** .36



[SHOP](#)

26989 9 Piece Hex Inch Precision Blade Set

Wiha ESD Safe  precision collet lock handle & 8 Wiha interchangeable blades. In metal storage box.

26989 ⬤ **Hex Inch:** .050, 1/16, 5/64, 3/32,


7/64, 1/8, 9/64, 5/32"

↔ **lbs.** .35



[SHOP](#)

26995 5 Piece TORX® Precision Blade Set

Wiha ESD Safe  precision collet lock handle & 4 interchangeable blades. In metal storage box.


26995 ⊗ **TORX®:** T6, T7, T8, T9, T10, T15, T20

↔ **lbs.** .24



[SHOP](#)

26987 8 Piece TORX® Precision Blade Set

Wiha ESD Safe  precision collet lock handle & 7 interchangeable blades. In metal storage box.

26987 Set includes the following blades:

⊗ **TORX® standard blades:** T3, T4, T5

⊗ **TORX® reversible blades:**

T6, T7, T8, T9, T10, T15, T20

↔ **lbs.** .33




Wiha SoftFinish® Handle - Ergonomic Cushion Grip

Wiha SoftFinish® Handle: Featuring advanced technology dual material molding. A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque and user comfort.

Wiha exclusive "SoftFinish® Zone" features solid molded core with soft outer cushion grip. Requires less force, yet achieves 40% more torque than conventional handles

Wiha Nut Drivers are precision formed to exact tolerances for a perfect fit every time



All blades are made of Wiha's exclusive formula chrome-vanadium-molybdenum tool steel, super hardened plated for unmatched durability

Handle is molded directly onto the blade for a permanent bond. Large optimized handle diameter allows higher torque with less user hand fatigue



[SHOP](#)

341 Nut Driver, With Wiha-SoftFinish® Handle Inch sizes

Blade CVM steel, hardened. Deep drawn 1" socket. Solid shafts. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	⊙	—	—	—	—	—	—
No.	Inch	Inch	mm	mm	Inch	lbs.	pkg.
34134	9/64	5.0	125	238	9.4	.18	10
34135	5/32	5.0	125	238	9.4	.24	10
34136	3/16	5.0	125	238	9.4	.25	10
34137	7/32	5.0	125	238	9.4	.26	10
34138	1/4	5.0	125	246	9.7	.38	10
34139	5/16	5.0	125	246	9.7	.40	10
34140	11/32	5.0	125	246	9.7	.40	10
34141	3/8	5.0	125	246	9.7	.40	10
34142	7/16	5.0	125	246	9.7	.40	10
34143	1/2	5.0	125	246	9.7	.40	10
34144	9/16	5.0	125	246	9.7	.40	10
34145	5/8	5.0	125	246	9.7	.40	10



[SHOP](#)

341 Nut Driver, With Wiha-SoftFinish® Handle Metric sizes

Blade CVM steel, hardened. Deep drawn 1" socket. Solid shafts. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	⊙	—	—	—	—	—	—
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
34120	5.0	125	5.0	238	9.4	.14	10
34121	5.5	125	5.0	238	9.4	.14	10
34122	6.0	125	5.0	238	9.4	.15	10
34123	7.0	125	5.0	238	9.4	.25	10
34124	8.0	125	5.0	238	9.4	.25	10
34125	9.0	125	5.0	238	9.4	.26	10
34126	10.0	125	5.0	238	9.4	.27	10
34127	11.0	125	5.0	247	9.7	.37	10
34128	12.0	125	5.0	247	9.7	.40	10
34129	13.0	125	5.0	247	9.7	.40	10
34130	14.0	125	5.0	247	9.7	.40	10
34131	15.0	125	5.0	247	9.7	.40	10
34132	16.0	125	5.0	249	9.8	.42	10
34133	17.0	125	5.0	249	9.8	.42	10



[SHOP](#)

34193 7 Pcs. Nut Driver Set Inch sizes. Blade CVM steel, hardened. Deep drawn 1" socket. Wiha-SoftFinish® handle, multi-component.

Item No.	⊙	—	⊙	—	—		
No.	Inch	Inch	Inch	Inch	lbs.		
34193	34136	3/16	5.0	34141	3/8	5.0	1.89
	34138	1/4	5.0	34142	7/16	5.0	
	34139	5/16	5.0	34143	1/2	5.0	
	34140	11/32	5.0				

34195 10 Piece Nut Driver Set Inch sizes

Item No.	⊙	—	⊙	—	—		
No.	Inch	Inch	Inch	Inch	lbs.		
34195	34136	3/16	5.0	34141	3/8	5.0	3.12
	34137	7/32	5.0	34142	7/16	5.0	
	34138	1/4	5.0	34143	1/2	5.0	
	34139	5/16	5.0	34144	9/16	5.0	
	34140	11/32	5.0	34145	5/8	5.0	



[SHOP](#)

34194 7 Piece Nut Driver Set Metric sizes

Item No.	⊙	—	⊙	—	—		
No.	mm	mm	mm	mm	lbs.		
34194	34120	5.0	125	34124	8.0	125	1.93
	34121	5.5	125	34126	10.0	125	
	34122	6.0	125	34129	13.0	125	
	34123	7.0	125				

Wiha SoftFinish® Heavy Duty Nut Drivers



[SHOP](#)


347 Nut Driver, With Hex Bolster & Wiha-SoftFinish® Handle
Blade CVM steel, hardened. Deep drawn 1" socket. Hex bolster for additional torque, Solid shafts. Wiha-SoftFinish® cushion grip handle.

Item	○	▬	⬢	▬	▬	↵	▬
No.	mm	mm	mm	mm	Inch	lbs.	pkg.
34712	7.0	125	10.0	238	9.4	.25	10
34715	8.0	125	10.0	238	9.4	.25	10
34718	9.0	125	10.0	238	9.4	.26	10
34721	10.0	125	10.0	238	9.4	.27	10
34724	11.0	125	13.0	247	9.7	.37	10
34727	12.0	125	13.0	247	9.7	.40	10
34730	13.0	125	13.0	247	9.7	.40	10

[SHOP](#)

347 Nut Driver, Hex Bolster & Wiha-SoftFinish® Handle Inch sizes

Item	○	▬	▬	⬢	▬	▬	↵	▬
No.	Inch	Inch	mm	Inch	mm	Inch	lbs.	pkg.
34753	3/16	5.0	125	5/16	231	9.1	.18	10
34759	1/4	5.0	125	3/8	238	9.4	.24	10
34765	5/16	5.0	125	3/8	238	9.4	.25	10
34771	3/8	5.0	125	3/8	238	9.4	.26	10
34774	7/16	5.0	125	1/2	246	9.7	.38	10
34777	1/2	5.0	125	1/2	246	9.7	.40	10



[SHOP](#)

34791 5 Piece Nut Driver Set Metric sizes

Item	○	▬	▬	○	▬	↵	
No.		mm	mm		mm	mm	lbs.
34791	34120*	5.0	125	34721	10.0	125	1.42
	34122*	6.0	125	34724	11.0	125	
	34715	8.0	125				

*Standard blade - no hex bolster



[SHOP](#)

34792 6 Piece Nut Driver Set Inch sizes

Item	○	▬	▬	○	▬	↵	
No.		Inch	Inch		Inch	Inch	lbs.
34792	34753	3/16	5.0	34771	3/8	5.0	1.94
	34759	1/4	5.0	34774	7/16	5.0	
	34765	5/16	5.0	34777	1/2	5.0	

Long Flexible Shaft Nut Drivers, SoftFinish® Handle - Ergonomic Cushion Grip



[SHOP](#)

372 Long Flexible Shaft Nut Driver, With Wiha-SoftFinish® Handle Inch sizes. Heavy Duty flexible shaft of braided steel with protective sleeve. Hardened mounted socket for optimal torque. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	○	▬	▬	▬	▬	↵	▬
No.	Inch	Inch	mm	mm	Inch	lbs.	pkg.
37220	3/16	5.9	150	261	10.2	.30	1
37222	1/4	5.9	150	261	10.2	.42	1
37224	5/16	5.9	150	261	10.2	.44	1
37226	3/8	6.9	175	261	10.2	.44	1
37228	7/16	6.9	175	261	10.2	.44	1
37230	1/2	6.9	175	261	10.2	.44	1



[SHOP](#)

37290 6 Piece Flexible Shaft Nut Driver Set, Inch Sizes

Item	○	▬	▬	○	▬	↵	
No.		Inch	Inch		Inch	Inch	lbs.
37290	37220	3/16	5.9	37226	3/8	6.9	2.50
	37222	1/4	5.9	37228	7/16	6.9	
	37224	5/16	5.9	37230	1/2	6.9	



[SHOP](#)

372 Long Flexible Shaft Nut Driver, With Wiha-SoftFinish® Handle

Handle Metric sizes. Heavy Duty flexible shaft of braided steel with protective sleeve. Hardened mounted socket for optimal torque. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	○	▬	▬	▬	▬	↵	▬
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
37235	5.0	150	5.9	261	10.2	.16	1
37236	5.5	150	5.9	261	10.2	.16	1
37237	6.0	150	5.9	261	10.2	.17	1
37238	7.0	150	5.9	261	10.2	.28	1
37239	8.0	150	5.9	261	10.2	.28	1
37241	10.0	175	6.9	261	10.2	.44	1
37244	13.0	175	6.9	261	10.2	.44	1



[SHOP](#)

37291 7 Piece Flexible Shaft Nut Driver Set, Metric Sizes








Item	○	▬	▬	○	▬	↵	
No.		mm	mm		mm	mm	lbs.
37291	37235	5.0	150	37239	8.0	150	1.93
	37236	5.5	150	37241	10.0	175	
	37237	6.0	150	37244	13.0	175	
	37238	7.0	150				

Wiha SoftFinish® Nut Drivers - Hollow Shaft



[SHOP](#)

343 Hollow Shaft Nut Driver-Wiha-SoftFinish® Handle Inch sizes

Item							
No.	Inch	Inch	mm	mm	Inch	lbs.	pkg.
34336	3/16	2.75	70	175	7.0	.18	10
34338	1/4	2.75	70	175	7.0	.24	10
34339	5/16	2.75	70	175	7.0	.25	10
34340	11/32	2.75	70	182	7.5	.25	10
34341	3/8	2.75	70	182	7.5	.26	10
34342	7/16	2.75	70	187	7.6	.38	10
34343	1/2	2.75	70	187	7.6	.40	10










Inch Color Coded To Size

- Hollow shafts allow for fit over extended bolts
- Finally a handle that makes Nut Drivers useful
- Get 40% more power with SoftFinish cushion grip
- Soft ergonomic molded shape for maximum comfort
- Heavy duty hollow shaft - 3.7" depth
- Hardened for maximum torque and wear resistance
- Chrome plated anti corrosion finish



[SHOP](#)







343 Hollow Shaft Nut Driver With Wiha-SoftFinish® Handle Metric

Item							
No.	mm	mm	mm	Inch	lbs.	pkg.	
34302	5.0	70	175	7.0	.14	10	
34304	5.5	70	175	7.0	.14	10	
34306	6.0	70	175	7.0	.15	10	
34308	7.0	70	182	7.5	.25	10	
34310	8.0	70	182	7.5	.25	10	
34312	10.0	70	187	7.6	.27	10	
34314	13.0	70	187	7.6	.40	10	



[SHOP](#)







34390 7 Piece Hollow Shaft Nut Driver Set Inch Sizes

Item							
No.	Inch	Inch	Inch	Inch	Inch	lbs.	
34390	34336	3/16	2.75	34341	3/8	2.75	1.55
	34338	1/4	2.75	34342	7/16	2.75	
	34339	5/16	2.75	34343	1/2	2.75	
	34340	11/32	2.75				



[SHOP](#)

34391 7 Piece Hollow Shaft Nut Driver Set Metric Sizes

Item							
No.	mm	mm	mm	mm	mm	lbs.	
34391	34302	5.0	70	34310	8.0	70	1.41
	34304	5.5	70	34312	10.0	70	
	34306	6.0	70	34314	13.0	70	
	34308	7.0	70				

Wiha SoftFinish® Triangle Nut Drivers



[SHOP](#)

344 Triangle Nut Driver, With Wiha-SoftFinish® Handle
 Blade Chrome-vanadium-molybdenum steel, hardened.
 Wiha-SoftFinish® cushion grip handle.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
34474	M4	6.8	.267"	125	5"	236	9.3	.00	10
34475	M5	8.3	.326	125	5"	236	9.3	.00	10
34476	M6	10.1	.413	125	5"	236	9.3	.00	10
34478	M8	12.1	.474	125	5"	243	9.6	.00	10
34480	M10	15.1	.592	125	5"	243	9.6	.00	10
34482	M12	16.1	.651	125	5"	243	9.6	.00	10

Wiha T-Handle Nut Drivers



[SHOP](#)

336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item No.	mm	mm	mm	lbs.	pkg.
33603	6.0	125	100	.16	10
33606	8.0	125	100	.18	10
33607	8.0	200	100	.22	10
33609	9.0	125	100	.23	10
33612	10.0	125	100	.24	10
33614	10.0	230	100	.26	10
33620	12.0	125	100	.26	10
33622	13.0	125	100	.27	10
33623	13.0	230	100	.30	10



[SHOP](#)

336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item No.	Inch	Inch	Inch	lbs.	pkg.
33653	3/16	6.0	4.0	.16	10
33659	1/4	6.0	4.0	.18	10
33665	5/16	6.0	4.0	.19	10
33671	3/8	6.0	4.0	.20	10
33674	7/16	6.0	4.0	.26	10
33677	1/2	6.0	4.0	.30	10



[SHOP](#)

33691 5 Piece Nut Driver T-handle Set Metric Sizes
 Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item No.	mm	mm	mm	mm	lbs.		
33691	33603	6.0	125	33612	10.0	125	1.61
	33606	8.0	125	33622	13.0	125	
	33609	9.0	125				



[SHOP](#)

33690 6 Piece Nut Driver T-handle Set Inch Sizes
 Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item No.	Inch	Inch	Inch	Inch	lbs.		
33690	33653	3/16	6.0	33671	3/8	6.0	1.58
	33659	1/4	6.0	33674	7/16	6.0	
	33665	5/16	6.0	33677	1/2	6.0	



[SHOP](#)

38800 Bit Holder With Wiha T-handle
 Magnetic, holds bit and screw. Retainer out of stainless steel. Hex shaft chrome-vanadium-molybdenum steel, nickel-plated. Wiha T-handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
38800	1/4	150	6.0	80	3.0	.18	1



Wiha Drive-Loc VI Nut Drivers


Drive-Loc VI

For Adjustable Length
Locking Blades



Locking mechanism in SoftFinish cushion grip ergonomic handle. Blade length can be adjusted from 40mm-120mm. (1.7 to 4.7" In 1/8" increments)

See Drive-Loc VI Handles & Screwdrivers on pages 20-22



The blade length can be adjusted from 40mm-120mm. (1.7 to 4.7")



[SHOP](#)

281 Drive-Loc VI Inch Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Inch	OAL	lbs.	pkg.
28156	3/16	5.9"	.11	1
28157	7/32	5.9"	.11	1
28158	1/4	5.9"	.11	1
28159	9/32	5.9"	.12	1
28160	5/16	5.9"	.13	1
28161	11/32	5.9"	.14	1
28162	3/8	5.9"	.15	1
28163	7/16	5.9"	.17	1
28164	1/2	5.9"	.18	1



[SHOP](#)

281 Drive-Loc VI Metric Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm	OAL	lbs.	pkg.
28168	4.0	150mm	.10	1
28169	4.5	150mm	.10	1
28170	5.0	150mm	.11	1
28171	5.5	150mm	.11	1
28172	6.0	150mm	.12	1
28173	7.0	150mm	.13	1
28174	8.0	150mm	.13	1
28177	9.0	150mm	.14	1
28175	10.0	150mm	.15	1
28176	11.0	150mm	.20	1



[SHOP](#)

28196 8 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 7 Inch Nut Driver blades.

Item	
No. 28196	1.22
Inch: 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"	
Wiha SoftFinish® Cushion Grip Blade Lock Handle	



[SHOP](#)

28198 8 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 7 Metric Nut Driver blades.

Item	
No. 28198	1.00
Metric: 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0mm	
Wiha SoftFinish® Cushion Grip Blade Lock Handle	



[SHOP](#)

28144 Extension Blade For Drive-Loc VI Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 6.5". Blades fit all Drive-Loc VI handles.

Item				
No.	mm	OAL	lbs.	pkg.
28144	6.0	150mm	.14	1

Wiha Nut Driver Precision Series



265 Metric Metric Nut Driver With Precision Handle

Metric sizes. Blade CVM steel. Hard chrome finished.

Item No.	mm	mm	Inch	mm	Inch	mm	mm	lbs.	pkg.
26510	1.5	60	2.4	140	5.5	2.5	3.0	.03	10
26515	1.8	60	2.4	140	5.5	2.9	3.5	.03	10
26520	2.0	60	2.4	140	5.5	3.2	4.0	.04	10
26525	2.5	60	2.4	155	6.1	4.0	4.0	.04	10
26530	3.0	60	2.4	155	6.1	5.0	5.0	.05	10
26532	3.2	60	2.4	155	6.1	5.0	5.0	.05	10
26535	3.5	60	2.4	155	6.1	5.3	6.0	.05	10
26540	4.0	60	2.4	155	6.1	5.5	6.0	.05	10
26545	4.5	60	2.4	155	6.1	6.2	7.0	.05	10
26550	5.0	60	2.4	155	6.1	6.8	7.0	.05	10
26555	5.5	60	2.4	170	6.7	7.6	8.0	.06	10
26560	6.0	60	2.4	170	6.7	8.2	9.0	.06	10
26570	7.0	60	2.4	170	6.7	9.6	10.0	.06	10

*Metric dimensions actual - Inch dimensions approximate



265 Inch Inch Nut Driver With Precision Handle

Inch sizes. Blade CVM steel. Hard chrome finished.

Item No.	Inch	mm	Inch	mm	Inch	Inch	Inch	lbs.	pkg.
26523	3/32	60	2.4	155	6.1	.16	.16	.04	10
26527	7/64	60	2.4	155	6.1	.20	.20	.05	10
26531	1/8	60	2.4	155	6.1	.20	.20	.05	10
26536	9/64	60	2.4	155	6.1	.21	.24	.05	10
26539	5/32	60	2.4	155	6.1	.22	.24	.05	10
26547	3/16	60	2.4	155	6.1	.25	.28	.05	10
26556	7/32	60	2.4	170	6.7	.30	.32	.06	10
26563	1/4	60	2.4	170	6.7	.34	.36	.06	10

*Metric dimensions actual - Inch dimensions approximate



26590 8 Pc. Precision Nut Driver Set - Metric

Blade CVM steel.

Item No.	lbs.
26590 Metric Nut Drivers:	.48
2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0mm x 60mm	

26592 Set 7 Pcs. Nut Driver Metric

Item No.	26592	1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
----------	-------	-------------------------------------



26591 8 Pc. Precision Nut Driver Set - Inch

Blade CVM steel.

Item No.	lbs.
26591 Inch Nut Drivers:	47
3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	



26598 8 Pc. Precision Nut Driver Set - Metric

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	lbs.
26598 Metric Nut Drivers:	.70
2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0mm x 60mm	



26599 8 Pc. Precision Nut Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	lbs.
26599 Inch Nut Drivers:	.72
3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	

Pico Soft Grip Nut Drivers Inch & Metric



[SHOP](#)

265 Inch Nut Drivers, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	mm	Inch	mm	pkg.
26571	3/32	2.4	60	6.3	160	10
26572	7/64	2.4	60	6.3	160	10
26573	1/8	2.4	60	6.3	160	10
26574	9/64	2.4	60	6.3	160	10
26575	5/32	2.4	60	6.3	160	10
26576	3/16	2.4	60	6.3	160	10
26577	7/32	2.4	60	6.3	160	10
26578	1/4	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26593 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle In storage pouch

Item No.	Inch Nut Drivers:	lbs.
26593	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72



[SHOP](#)

265 Metric Nut Drivers, With Precision PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26579	1.5	60	2.4	160	6.3	10
26581	2.0	60	2.4	160	6.3	10
26582	2.5	60	2.4	160	6.3	10
26583	3.0	60	2.4	160	6.3	10
26584	3.5	60	2.4	160	6.3	10
26585	4.0	60	2.4	160	6.3	10
26586	4.5	60	2.4	160	6.3	10
26587	5.0	60	2.4	160	6.3	10
26588	5.5	60	2.4	160	6.3	10
26589	6.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26596 8 Piece Metric Nut Driver Set, With Precision Soft PicoFinish Handle In storage pouch

Item No.	Metric Nut Drivers:	lbs.
26596	2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 x 60mm	.66

Rotating Cap
for precise turning and control

Precision Handle
high quality plastic, cadmium free. ESD Safe or Standard styles

Blades
CVM steel, hardened, hard chromed

Tapered Handle
allows rapid rotation, requires less clearance

Tips
Exact fit, precision machined

15mm
Collet Lock Handle adjustable blade length from 15 to 95mm/ .6" to 3.75"
95mm

See SYSTEM 4 Handles & Blades on pages 38-41



[SHOP](#)

269 SYSTEM 4 Nut Driver Inch, Interchangeable Blade.

High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. On 4mm Hex shaft. 120mm/4.7" OAL

Item No.	Inch	Inch	Inch	lbs.
26962	3/32	.16	.16	.04
26963	7/64	.20	.20	.04
26964	1/8	.20	.20	.04
26965	9/64	.21	.24	.04
26966	5/32	.22	.24	.04
26967	3/16	.26	.28	.04
26968	7/32	.30	.32	.04
26969	1/4	1.34	.36	.04



[SHOP](#)

269 SYSTEM 4 Nut Driver Metric, Interchangeable Blade

High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. On 4mm Hex Shaft. 120mm/4.7" OAL

Item No.	mm	mm	Inch	Inch	lbs.
26940	1.5 + 1.8	.12	.12	.03	
26941	2.0 + 2.5	.16	.16	.03	
26938	1.5 -	.11	.11	.04	
26939	1.8 -	.12	.12	.04	
26949	2.0 -	.13	.13	.06	
26950	2.5 -	.16	.16	.06	
26942	3.0 -	.20	.20	.06	
26943	3.2 -	.20	.20	.06	
26944	3.5 -	.22	.24	.06	
26945	4.0 -	.22	.24	.06	
26946	4.5 -	.25	.28	.06	
26947	5.0 -	.27	.28	.06	
26948	5.5 -	.30	.32	.06	

SYSTEM 4 Sets in Compact Fold-out box



- ESD Safe Precision Handle
- High alloy CVM steel, hardened
- Exact fit tips
- In metal storage box



SHOP

26988 9 Pc. Nut Driver Inch Precision

Blade Set Wiha ESD Safe precision collet lock handle & 8 Wiha interchangeable blades.

26988 Set includes the following blades:

- **Nut Driver Inch:**
3/32, 7/64, 1/8, 9/64, 5/32,
3/16, 7/32, 1/4"

lbs. .39



In metal storage boxes



SHOP

26998 9 Pc. Nut Driver Metric Precision

Blade Set Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.


26998 Set includes the following blades:

- **Nut Driver Metric:**
2.0, 2.5, 3.0, 3.2, 3.5, 4.0,
4.5, 5.0, 5.5mm

lbs. .40



SYSTEM 4 Nut Driver Sets



SHOP

28088 9 Piece Nut Driver Inch Precision

Blade Set Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.

28088 Set includes the following blades:

- **Nut Driver Inch:**
3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

lbs. .37



ESD Safe



SHOP

28098 8 Piece Nut Driver Metric Precision

Blade Set Wiha ESD Safe precision collet lock handle and 7 Wiha interchangeable blades.

28098 Set includes the following blades:

- **Nut Driver Metric:**
3.0, 3.2, 3.5, 4.0, 4.5, 5.0, 5.5mm

lbs. .40



Item No.	Page	Item No.	Page	Item No.	Page
15305	28	26042	29	26340	31
15310	28	26050	34	26341	36
15315	28	26051	34	26343	36
15325	28	26052	34	26345	36
15330	28	26053	34	26347	36
15335	28	26054	34	26349	36
15340	28	26055	34	26351	36
16112	28	26056	34	26353	36
16134	28	26060	34	26363	36
18601	28	26061	34	26367	36
18603	28	26063	34	26369	36
18606	28	26065	34	26371	36
18609	28	26066	34	26390	31
18612	28	26068	34	26391	31
18615	28	26070	34	26392	36
18624	28	26072	34	26393	36
18627	28	26073	34	26399	31
18630	28	26074	34	26413	32
18642	28	26076	34	26415	32
18645	28	26079	34	26416	32
18648	28	26080	34	26419	32
18651	28	26090	29	26420	32
18654	28	26092	30	26423	32
18657	28	26093	34	26425	32
18663	28	26099	29	26427	32
18678	28	26100	30	26430	32
18681	28	26101	30	26431	32
20700	28	26102	30	26436	32
20705	28	26105	30	26439	32
20710	28	26107	30	26440	32
20715	28	26108	30	26441	36
20720	28	26109	30	26443	36
20725	28	26110	30	26445	36
20756	28	26113	30	26447	36
20757	28	26114	30	26449	36
20758	28	26115	30	26455	36
20759	28	26130	34	26457	36
20760	28	26132	34	26459	36
20790	28	26133	34	26461	36
20799	28	26135	34	26463	36
21103	15	26136	34	26465	36
22220	28	26140	34	26467	36
22230	28	26142	34	26490	32
22240	28	26145	34	26491	32
26000	29	26190	30	26493	36
26001	29	26192	30	26499	32
26008	29	26193	34	26510	47
26010	29	26194	30	26515	47
26012	29	26199	30	26520	47
26015	29	26205	31	26523	47
26018	29	26210	31	26525	47
26020	29	26307	31	26527	47
26022	29	26309	31	26530	47
26023	29	26313	31	26531	47
26025	29	26315	31	26532	47
26027	29	26316	31	26535	47
26028	29	26320	31	26536	47
26030	29	26323	31	26539	47
26032	29	26325	31	26540	47
26033	29	26327	31	26545	47
26034	29	26330	31	26547	47
26035	29	26331	31	26550	47
26040	29	26333	31	26555	47
26041	29	26336	31	26556	47

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
26560	47	26790	33	26962	48	28080	40	28194	22	30835	5
26563	47	26791	33	26963	48	28084	41	28196	22,46	30836	14
26570	47	26792	33	26964	48	28087	41	28197	22	30845	14
26571	48	26793	35	26965	48	28088	49	28198	22,46	30855	14
26572	48	26794	33	26966	48	28091	41	28199	22	30865	14
26573	48	26796	35	26967	48	28094	40	28486	20	30890	14
26574	48	26798	35	26968	48	28097	41	28487	20	30892	5
26575	48	26799	33	26969	48	28098	49	28488	20	30896	5
26576	48	26810	29	26971	38	28106	20	30202	6	30898	5
26577	48	26815	35	26972	38	28107	20	30203	6	31105	6
26578	48	26900	38	26973	38	28108	20	20204	6	31110	6
26579	48	26901	38	26974	38	28109	20	30205	6	31112	6
26581	48	26903	38	26975	39	28110	20	30206	6	31114	6
26582	48	26904	38	26976	39	28112	20	30208	6	31115	6
26583	48	26905	38	26977	39	28114	21	30210	6	31117	6
26584	48	26911	38	26978	39	28116	21	30211	6	31118	6
26585	48	26912	38	26979	39	28117	21	30212	6	31120	6
26586	48	26913	39	26980	39	28118	21	30215	6	31125	6
26587	48	26914	39	26981	39	28119	21	30216	6	31135	6
26588	48	26915	39	36982	39	28120	21	30217	6	31137	8
26589	48	26916	39	26985	39	28122	21	30218	6	31140	6
26590	47	26917	39	26987	41	28123	21	30219	6	31190	7
26591	47	26918	39	26988	49	28124	21	30220	6	31191	7
26592	47	26919	39	26989	41	28126	21	30221	6	31192	7
26593	48	26920	39	26990	40	28127	21	30222	6	31193	7
26596	48	26921	39	26991	40	28128	21	30223	6	31194	8
26598	47	26922	38	26992	40	28129	21	30225	6	31201	5
26599	47	26923	39	26993	40	28130	21	30226	6	31202	5
26701	33	26924	39	26995	41	28132	21	30227	6	31203	5
26702	33	26925	39	26996	41	28133	21	30230	6	31211	14
26703	33	26926	39	26997	41	28134	21	30232	6	31212	14
26704	33	26927	39	26998	49	28135	21	30235	6	31213	14
26705	33	26928	39	26999	41	28136	21	30236	6	31305	6
26706	33	26929	39	28000	38	28137	20	30237	8	31310	6
26707	33	26932	38	28001	38	28138	21	30238	6	31312	6
26708	33	26933	38	28002	39	28139	21	30239	6	31315	6
26709	33	26934	38	28003	39	28140	21	30255	6	31320	6
26710	33	26935	38	28004	39	28142	21	30265	6	31401	14
26715	33	26936	38	28005	39	28143	21	30276	8	31402	14
26720	33	26937	38	28006	39	28144	46	30290	8	31403	14
26721	35	26938	48	28007	39	28149	21	30291	8	33603	45
26723	35	26939	48	28008	39	28150	21	30294	7	33606	45
26725	35	26940	48	28009	39	28151	21	30295	7	33607	45
26727	35	26941	48	28010	39	28156	22,46	30297	7	33609	45
26729	35	26942	48	28011	39	28157	22,46	30298	7	33612	45
26731	35	26943	48	28012	39	28158	22,46	30299	8	33614	45
26732	35	26944	48	28013	39	28159	22,46	30517	8	33620	45
26733	35	26945	48	28014	39	28160	22,46	30520	8	33622	45
26735	35	26946	48	28015	39	28161	22,46	30523	8	33653	45
26736	35	26947	48	28016	39	28162	22,46	30526	8	33659	45
26737	35	26948	48	28017	39	28163	22,46	30530	8	33623	45
26739	35	26949	48	28021	38	28164	22,46	30535	8	33665	45
26741	35	26950	48	28023	38	28168	22,46	30540	8	33671	45
26743	35	26951	39	28024	38	28169	22,46	30550	8	33674	45
26745	35	26952	39	28025	38	28170	22,46	30560	8	33677	45
26747	35	26953	39	28026	38	28171	22,46	30580	8	33690	45
26749	35	26954	39	28027	38	28172	22,46	30813	5	33691	45
26751	35	26955	39	28028	38	28173	22,46	30814	5	34120	42
26761	33	26956	39	28029	38	28174	22,46	30815	5	34121	42
26762	33	26957	39	28033	38	28175	22,46	30816	5	34122	42
26763	33	26958	39	28034	38	28176	22,46	30817	5	34123	42
26764	33	26959	39	28035	38	28177	22,46	30820	5	34124	42
26765	33	26960	39	28036	38	28189	22	30825	5	34125	42
26766	33	26961	39	28037	38	28191	21	30830	5	34126	42

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
34127	42	36201	10	36298	11	39896	9	45595	18	52020	23
34128	42	36202	9	36299	11	40010	27	45597	18	52025	23
34129	42	36203	9	36710	12	44590	40	45598	18	52035	23
34130	42	36205	25	36713	12	45040	16	46094	17	52040	23
34131	42	36207	9	36715	13	45050	16	46095	17	52050	23
34132	42	36210	25	36716	12	45052	16	46097	17	52090	23
34133	42	36211	11	36719	12	45054	16	46098	16	52097	23
34134	42	36212	25	36720	13	45055	16	46099	16	52098	23
34135	42	36215	25	36723	12	45056	16	46702	19	52099	23
34136	42	36220	25	36725	13	45057	16	46704	19	52105	23
34137	42	36223	11	36726	12	45058	16	46706	19	52110	23
34138	42	36225	25	36728	12	45060	16	46708	19	52115	23
34139	42	36228	11	36730	13	45061	16	46710	19	52120	23
34140	42	36229	11	36732	12	45062	16	46712	19	52125	23
34141	42	36230	25	36734	12	45064	16	46714	19	52650	24
34142	42	36233	11	36736	12	45065	16	46715	18	52711	25
34143	42	36234	9	36738	12	45067	16	46716	19	52713	25
34144	42	36235	25	36740	13	45069	16	46718	19	52716	25
34145	42	36238	11	36742	12	45135	16	46720	18	52719	25
34193	42	36239	11	36744	12	45137	16	46722	19	52722	25
34194	42	36240	25	36750	13	45140	16	46724	19	52726	25
34195	42	36243	11	36760	13	45142	16	46725	18	52729	25
34302	44	36244	9	36780	13	45144	16	46726	19	52732	25
34304	44	36245	25	36786	13	45147	16	46728	19	52790	25
34306	44	36248	11	36790	13	45150	16	46730	18	52791	25
34308	44	36249	9	36791	12	45152	16	46740	18	53010	4
34310	44	36250	25	36792	13	45205	17	46750	18	53015	4
34312	44	36253	11	36793	12	45207	17	46760	18	53020	4
34314	44	36254	9	36794	12	45215	17	46780	18	53025	4
34336	44	36255	11	37220	43	45220	17	46786	18	53027	4
34338	44	36256	9	37222	43	45225	17	46793	19	53035	4
34339	44	36257	9	37224	43	45230	17	46794	19	53040	4
34340	44	36258	9	37226	43	45235	17	46796	18	53075	5
34341	44	36259	11	37228	43	45504	17	46797	19	53090	4
34342	44	36264	10	37230	43	45505	26	46799	18	53096	5
34343	44	36266	10	37235	43	45506	26	46803	15	53097	4
34390	44	36267	10	37236	43	45507	17	46806	15	53099	5
34391	44	36268	10	37237	43	45508	17	46812	15	53110	4
34474	45	36269	11	37238	43	45509	17	46815	15	53115	4
34475	45	36270	10	37239	43	45510	17	46912	15	53120	4
34476	45	36271	11	37241	43	45511	26	46915	15	53310	24
34478	45	36272	10	37244	43	45515	17	46921	15	53315	24
34480	45	36273	11	37290	43	45516	26	46924	15	53320	24
34482	45	36274	10	37291	43	45520	17	46933	15	53325	24
34712	43	36275	11	37608	14	45521	26	46991	15	53330	24
34715	43	36276	10	37609	14	45522	26	48106	15	53390	24
34718	43	36277	11	37610	14	45525	17	48190	15	53398	24
34721	43	36278	10	37615	14	45526	26	48400	26	53405	24
34724	43	36279	11	37620	14	45527	17	48401	16	53410	24
34727	43	36280	10	37625	14	45530	17	51020	27	53425	24
34730	43	36281	11	37627	14	45531	26	51025	27	62990	37
34753	43	36282	10	37630	14	45536	26	51030	27	62993	37
34759	43	36283	11	37640	14	45540	17	51035	27	62994	37
34765	43	36284	10	37690	14	45541	26	51040	27	62995	37
34771	43	36285	11	38800	45	45545	17	51055	27	65090	37
34774	43	36286	10	39700	9	45546	26	51065	27	90000	27
34777	43	36287	11	39701	9	45550	17	51080	27	91118	30
34791	43	36288	10	39702	9	45551	26	51090	27	92190	33
34792	43	36290	9	39825	9	45556	26	51099	27	92191	32
35800	6	36291	10	39830	9	45561	26	51105	27	95190	37
35801	6	36292	25	39840	9	45589	26	51110	27	96800	37
35802	6	36293	25	39850	9	45591	26	51120	27		
35803	6	36294	10	39860	9	45592	26	52005	23		
35894	6	36296	11	39892	9	45593	17	52010	23		

(800) 494-6104
 fax: (800) 494-7456
 email: cservice@wihatools.com

**SEE OUR GREAT
 WEB SPECIALS!**



Wiha Quality Tools

1348 Dundas Circle
 Monticello, MN 55362
 tel: 763.295.6591
 fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
 Brampton, ONT L6T 4X4
 tel: 866.494.0096 or 763.295.6591
 fax: 763.295.6598


To:

Catalog Item No. 99002 .wo
 version - 5/15/14

Subject to change without notice

©2014 Willi Hahn Corporation

®Torx is a registered trademark of
 Acument Intellectual Properties LLC.



91330.wo - Tooling Catalog



99004.wo - Shop Tools Catalog



99914.wo - TORX Catalog



99951.wo - Bits Catalog



99919.wo - Insulated Catalog



99001.wo - TorqueControl Catalog



99934.wo - Hex Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



99977.wo - Pliers/Crimpers Catalog